		1026					7		
ENG Resea this v	RAVED. Narch by P. R. Iwas the world	To WATERMARK. PERF. 12 X 12 Newroth (LP 2018 Vol. 127 p. 422) shows 's first postage stamp illustrating a train. Intel 100. PO issued sheets in 100 as 10 horiz. x 10 vert	* HVF US \$	O USED US \$	△ COVER US \$	★ TOP MARGIN imprint inscription	II ★ BOTTOM MARGIN Imprint inscription	III ★ LEFT MARGIN Imprint inscription	IV★ RIGHT MARGIN Imprint inscription
Santo C	OVEGEN ()	OCENT O OCENT O	H **	0 U	D □	I ★ I Imi	II * IIm]	* III [m]	¥VI ImI
4	1¢	Locomotive, brown violet; 200 M	60	45	325	125	125	125	125
	a	red lilac (late 1863); 400 M	35	20	275				
	b	horiz. pair, imperf. vert. NG	725					2075	2075
	c	imperf. NG 0.567 M	80		_	275	275	275	275
	d	imperf. NG w/ red diagonal							
		SPECIMEN. type A	150			275	275	275	275
	e (166 known	imperf. NG w/ red horiz.	100			_, _		_, ,	
	c (100 Idiowii	SPECIMEN. type B	150	_					
	f в, с, D	imperf. NG w/ red horiz.	130						
	1 B, C, D	SPECIMEN. type C	150	_	_				
	g combined)	imperf. NG w/ red horiz.	150						
	g combined)	SPECIMEN. type D	250						
	h	imperf. NG (Colour trial; reddish orange)	175						
	;	imperf. NG (Colour trial; rose on bond paper)	175						
	;	imperf. NG (Colour trial; rose on bond paper)							
dnl	J l¢	ctsdp; black; on India; die # 130 (3)	1200						
dpl	l¢	ctsdp; black, on India; die # 130 (3)	1200	_	_				
dp2	l¢ l¢	* * *		hrow	n radi	green .	blue:	_	_
dp3	14	Goodall esdp; train facing left; colours: yellow blue green; black; wove paper (3 ea)	1000	DIOW.	n reu;	green	blue;		
dn/	1¢			hrow.	m rad	- green	blue:	_	_
dp4	14	Goodall sdp; train facing right; colours: yellow		DIOW	in reu	; green	blue;		
		blue green; black; wove paper; die # 130 (3 ea)	1000	_	_				
1	CENT 1 1 C	TOWN CONT CONT CONT		M	less o	Peter .	Wrigh	It vison	
	NSSC 4dp1	NSSC 4dp3 NSSC 4dp4		Die 1				a	
O Separate O	American limit Kute Ca. New Shork.								
5	2¢	Queen Victoria, orange (late 1863); 400 M	10	10	650		125	125	125
	a	deep orange	15	10	650				
	b 2 svice	orange yellow	15	10	650				
	C	imperf. Gummed	550	_	_		0050		
	d	vert. pair, imperf. horiz. NG 0.100 M	550	_	_	150	2250	150	150
	e	imperf. NG (orange) 1.386 M	50 50	_	_	150	150	150	150

imperf. NG (orange) 1.386 M e 50 150 150 150 50 150 150 f imperf. NG (reddish orange) 150 imperf. NG (deep orange on wove paper) 50 150 150 150 g h imperf. NG (Colour trial; rose) 50 150 150 150 i 50 imperf. NG (Colour trial; dark green) 50 imperf. NG (Colour trial; slate black) dpl 1200 2¢ctldp; black; on India; die # 219 (3) Goodall sdp; colours: yellow brown; brown red; green blue; blue green; black; imprint; wove paper; die # 219 (3 ea) 1200

Imperf. NG found on India paper (exceptions noted) and most often mounted on card; priced as singles.









150

150

NSSC 5 h IV

1860 - 63 CENTS issue (OCTOBER 01) QUEEN VICTORIA on WHITE PAPER ENGRAVED. NO WATERMARK. PERF. 12 X 12









	2
STORY OF THE STORY	
MILE CHATE	

		WIGH.							
7	5¢	Queen Victoria, blue; 4000 M	220	7	25	rare	1000	rare	rare
	a	yellowish paper	220	7					
	b	dark blue	220	7					
	c	blue paper	320	15					
	d 4 known	bisected on cover		_	3200	_	_		
	e 2 imprints	s each imperf. NG 0.100 M	500	_	_				
	f	" w/ red diagonal SPECIMEN. type A	100	_	_				
	g	" w/ red diagonal SPECIMEN. type B	60	_					
	h	" w/ red diagonal SPECIMEN. type C	60	_					
	i	" w/ red diagonal SPECIMEN. type D	100	_					
	j	imperf. NG (Colour trial; black)	100	_	_	250	250	250	250
	k	" w/ red diagonal SPECIMEN. type A	100	_	_				
	1	" w/ red diagonal SPECIMEN. type B	100	_					
	m	" w/ red diagonal SPECIMEN. type C	100	_					
	n	" w/ red diagonal SPECIMEN. type D	100						
	O	" w/ gold diagonal SPECIMEN. type C	120	_		250	250	250	250
	p	" w/ gold diagonal SPECIMEN. type D	100						
	q	imperf. NG (Colour trial; orange)	100	_					
dpl	5¢	ctldp; black; imprint;							
		India sunk on card; die # 95 B (2)	1500		_	_	_	_	
dp2	5¢	ctldp; black; on India (2)	1000	_	_	_	_	_	
dp3	5¢	ctsdp; rose; on India (2)	1000	_	_	_	_	_	
dp4	5¢	ctsdp; brown; on India (2)	1000	_		_			
dp5	5¢	ctsdp; green; on India (2)	1000	_		_	_	_	
dp6	5¢	ctsdp; orange; on India (2)	1000	_		_	_	_	
dp7	2¢	Goodall sdp; colours: yellow brown; brown re	d; green	blue;					
		blue green; black; wove paper (3 ea)	2000	_	_	_		_	_















II ★ BOTTOM MARGIN

★ TOP MARGIN

△ COVER US \$

O USED US \$

★ HVF US \$

Imprint inscription

IV★ RIGHT MARGIN

Imprint inscription

III ★ LEFT MARGIN

Imprint inscription

NSSC 7dp7

NSSC 7dp7

Imperf. NG are found on India paper and most often mounted on card; priced as singles.



Oct. 02, 1860 (2nd day of use of 5¢)

BRITISH COLUMBIA

1865 CENTS issue (NOVEMBER 01)


ENGRAVED. CROWN CC WATERMARK. PERF. 14 X 14



3d

4







★ HVF US \$

100

	a		deep blue (1867); 1063.44 M		90	90	275
	b		inverted watermark NSSC 4 g	E W W E	225	225	_
	c		plate 1 in circle top right		475	_	
	d		plate 1 in circle bottom left	BOOKE PLANT	475	_	_
	e		control 26 in rectangle box top left	[26]	375	_	
	f		control 26 in rectangle box bottom right	[20]	375	_	_
	g		imperf. +part of another stamp in UR NG		5775	_	_
	h		imperf. Gummed		475	_	_
dpl			pdp; compound; black, pale blue; coat of arms vignette; bl	ank value tab	let; stam	p size;	
			on glazed card		5500		_
dp2			pdp; black; no values; corners not cleared; on glazed card	(1)	1500	_	_
dp3		3d	ldp; blue; black SPECIMEN; on glazed enamel card (1)		5500		_
dp4		3d	sdp; blue; stamp size; on glazed card (2)		1500		
dp5		3d	sdp; blue; wove paper (2)		1500		_
dp6		3d	ctldp; black; on glazed card (2)		1500	_	_
dp7		3d	ctsdp; black; stamp size; on glazed enamel card (2)		2500		
dp8		3d	ctldp; black; notation Feb. 10, 1865, AFTER HARDENIN	NG and BEFO	RE STRI	KING,	
			on glazed card (1)		8500	_	



NSSC 4dp1



NSSC 4dp3



NSSC 4dp5



NSSC 4dp6



NSSC 4dp7



 \triangle COVER US \$

NSSC 4dp8



CROWN CC watermark

c

1861 - 70 QUEEN VICTORIA PENCE issue (JANUARY 01) ENGRAVED. NO WATERMARK. PERF. 9 X 9





★ HVF US \$ ★★ NHVF 3x COVER US USED US

485

5

8

10

875

150

135

120

600

10

12

75

10

300

1300

7000

850

Queen Victoria, blue (eku: Jan. 03, 1861); Lehr 405 M **3** 46 covers **3d** a bright blue, perf. 11 x 11 b

yellow paper, perf. 11 x 11 JSLAND for ISLAND

compound perf. 11 x 11.75 (Nov. 11, 1862) d

imperf. left margin, perf. 11 x 11 e 5 known imperf. bottom margin, perf. 11 x 11 f 6 known

double printed, perf. 9 x 9 g 3 known imperf. horiz. gutter pair h 6 known imperf. tete-beche gutter pair i 6 known

imperf. NG

k 1 known imperf. NG w/ complete blue 4d offset image imperf. NG w/ complete black 4d offset image 1 30 known

vert. pair, imperf. horiz., perf. 11 m horiz. pair, imperf. vert., perf. 11 n bisected on cover, perf. 9 x 9 0 bisected on cover, perf. 11 x 11




a













NSSC 3 i 6 exist but 3 seen

20

20

30

330

330

1500

7

10

30

4 51 covers **4d** Queen Victoria, black, perf. 12 x 12 (Maple Leaves Vol. 36, 2019 Robert Lunn.

FOUP for FOUR b 1 cover compound perf. 11 x 11.75 (Oct. 04, 1864) c d gutter pair imperf. bottom margin e

eku: Aug. 10, 1868;); Lehr 270 M

imperf. right margin f imperf. left margin g imperf. Gummed h i

yellowish paper

horiz. pair, imperf. vert. horiz. pair, imperf. vert.; w/ FOUP for FOUR horiz. strip of three, imperf. vert.

k 6 known 1 5 known imperf. pair; w/ FOUP for FOUR imperf. NG m imperf. NG gutter pair n imperf. NG double printed O 2 known

bisected on cover p 17 known ldp; black; solid background; on wove paper (1) dpl 4d dp2 4d lsdp; black; on glossy wove paper



FOUR PENCE





10 10 350 850 180 180 180 200 150 1450 1225 1500 100 800 2350 1250 1000



j 1 known

NSSC 4dp2



NSSC 4 j



NSSC 41









800



NSSC 4 o (double printed)



Reprints valuation \$35 each

PEI reprints in black of the 2d; 4d; 3¢; 12¢ values exist on smooth cream .0050-55 in. thick card





Stamp Perforation Development in Canada

Julian J. Goldberg, Brian R. Cannon and John M. Walsh, FRPSC

In 1851 sheets printed to contain individually imaged stamps were produced for and released by the Post Office without any mechanical means to separate one from another. A most time consuming work load for the Post Office staff. Often the resultant product from their attempts was damage to the image while being separated from the others. Post Office staff generally used scissors or any sharp blade device to effect separation.



In 1858 it seems that a new requirement must have been placed with the fulfilment of the stamp reorders. It was the requirement that the stamps be able to be separated without the use of cutting devices. This necessitated the weakening of the paper by the introduction of holes surrounding each image on the sheet.

This method is known as perforating. The resulting holes are called perforations. This perforator device consisted of wheels having a number of pins on them aligned along an upper shaft paired to wheels with the same number of holes on them aligned along a lower shaft. After finishing the initial perforating the stamp sheet was turned 90 degrees and the wheel ran across the sheet in that direction. The wheel pins penetrated the firmly held paper. The quantity of pins and holes on this wheel were



known. The quantity of holes over the passage of a set distance can be measured. Stamp collectors have used such a gauge that measures the quantity of distanced holes. It is called a perforation gauge which has been calibrated to count the number of holes in the conventionally stated distance of two centimetres. The perforation gauge generally utilized is calibrated for wheel pins that were made in the metric manner. The wheels that were made in North America were not of metric measurement. The instruments made for use in the United States and Canada were in imperial length measurement of inches not millimetres. The metric instrument making manner is definitely not North American.

As the Canadian stamp requirements were still being printed in the United States, the reorder in 1858 went to the same printing company Rawdon, Wright, Hatch & Edson New York. This company had renamed itself as American Bank Note Co. New York (ABNCo). Over the passage of time other printing company names arose such as British American Bank Note Co. Ottawa (BABNCo) and won the Canadian printing contracts but all were from North America with the ABNCo parent company in the United States. The printing presses and perforation machines were manufactured in the United States utilizing imperial measurement. The line perforations were performed using imperial measurement line perforator machines until 1978 when this line perforation machinery was phased out.

In 1858 the perforated stamps were produced by a perforating wheeled instrument that had 189 pins in its circumference on a wheel having a diameter of 4.03125 inches. This instrument created a hole pattern giving 11.75 x 11.75 holes when calculated to the present day conventionally standard stamp measurement dimensions of two centimetres. During this time period the stamp quantity needs were not overly extravagant with the demand most readily accomplished using a single same sized perforation multi-wheeled machine.

In 1859 the Canadian Post Office placed an order that entailed mammoth demand requirements. The printing company ABNCo was in the United States. The order involved six different designs and denominations and had huge quantity printing demands. When the stamp perforations are measured, several different line perforation machines are noticed to have been pressed into service to accomplish all the perforation requirements. The wheel perforator pins were 189 and 192. The machines used made these known combinations:

The American Bank Note Company (ABNCo) from 1858 to 1867

pins	189 x 189	192 x 189	192 x 192
gauge/2cm	(11.75×11.75)	(11.94×11.75)	(11.94×11.94)
I ¢	•	•	•
2¢	_	•	•
5¢	•	•	•
10¢	•	•	•
$12\frac{1}{2}$ ¢	•	•	•
15¢	•	•	•




Canada as a Province help received from Michael D. Smith.

Reference books on Canada 1851-59 Pence issues interchangeably report quantity printed but then report in some instances the quantity issued by PO. Not consistent. This catalogue previously made that mistake. Corrections made. Canada's Pence Era The Pence Stamps and Canadian Mail 1851 - 1859 provided research done by Arfken, Leggett, Firby, Steinhart provide number of printing orders and quantities per printed order. This edition reports total quantities ordered by PO. Disposal by PO is not germane to quantities ordered.

The American Bank Note Co (ABNCo) archive sale by Christies Robson Lowe New York, USA, Thursday Sept. 13, 1990 of the Canada Pence and Decimal issues had stated quantities in the sold lots of imperforates and imperforates with **SPECIMEN**. on them. Those quantities are placed into this catalogue.

1851 - 59 PENCE issue (on LAID PAPER; in 1852 WOVE PAPER introduced) ENGRAVED. NO WATERMARK. IMPERFORATE; PERF. 11.75 x 11.75 Rawdon, Wright, Hatch & Edison, NY. who later changed their title to ABNCo. NY.

Sheets printed 120. PO issued imperforate sheets as 10 horiz. x 12 vert. for ½d, 7½d, 10d.







1







O USED US

★ TOP MARGIN imprint inscription **★** BOTTOM

Number of printing orders, [#] after colour.

½d	Queen Victoria, (August 01, 1857); 2000 M	1					
63 covers	rose [5]; wove paper	700	550	4850 1900	1900	2950	2950
a 11 covers	lilac rose; wove paper	950	600	5000		Hambook palacine	
b 14 covers	horiz. ribbed paper [1] (1858); 600 M	9000	1800	7800	- SOFTON	A SOT	EO.
C 10 known	vert. ribbed paper (1858) (2 covers)	10000	3050	8250	16/20	8 6	Marie .
d	re-entry in HALF	1200	800	2000	11-21	12 0	
e	re-entry in CAN; STAGE; NNY	1500			THE STATE OF THE S	S SOM	
f 2 known	vertical stitch watermark	75000	1400		-	Name of the last o	
g	used* margin imprint inscription			— 1300*	700*		
h	rose [2]; perf. 11.75 x 11.75						
	(Nov. 1858); 850 M	2700	900	3900 3500	3500	3500	3500
i 39 covers	lilac rose; perf. 11.75 x 11.75	2250	1050	4050			
j	re-entry in HALF	2800	1600				
k	re-entry in CAN; STAGE; NNY						
l 18 imprints ea	ch imperf. NG 1.052 M	450	_	— 1250	1250	1850	1850
m some imprin	ts imperf. NG w/ vert. green black						
	SPECIMEN. 0.352 M	500		— 1750	1750	1750	1750
n	imperf. NG (Colour trial; orange yellow)	750			· —		_
O	imperf. NG (Colour trial; brown						
	w/ vert. carmine SPECIMEN.)	550			· —		
p	imperf. NG (Colour trial; black						
	w/ vert. carmine SPECIMEN.)	550			· —		
q	imperf. NG (Trade sample sheets; many	colours	;				
	some combined with 10d)	550			<u> </u>		

Imperf. NG are found printed on India paper and most often mounted on card; priced as singles.












NSSC 1 f (has mint stitch pair)



watermark example; from felt joined stitches in paper carrier

1868 - 75 QUEEN VICTORIA - LARGE QUEEN TRIAL ESSAY issue ENGRAVED. NO WATERMARK. IMPERFORATE

TELQxdesignates catalogue prefix for proposed engraved left facing Trial Essay Large Queen designs; Beaver with dam; Prince Albert and Queen Victoria not issued.

TELQx1	3¢	esdp; designed by National Bank Note Co.; yellow green; left facing Queen Victoria;	
		stamp size; on orange yellow glazed wove paper	
dpl	3¢	esdp; pale pink; stamp size; on orange yellow glazed wove paper	
dp2	3¢	esdp; black; stamp size; on orange yellow glazed wove paper	
dp3	3¢	eldp; deep blue; cream border defining stamp size;	
•		with large deep blue 50 mm x 60 mm solid colour;	
		on wove paper 58 mm x 60 mm with blue lines 10 mm apart;	
dp4	3¢	eldp; ultramarine; cream border defining stamp size;	
•		with large ultramarine 50 mm x 60 mm solid colour;	
		on wove paper 58 mm x 60 mm with blue lines 10 mm apart	
dp5	3¢	eldp; pale pink; cream border defining stamp size;	
•		with large pale pink 50 mm x 60 mm solid colour;	
		on wove paper 58 mm x 60 mm with blue lines 10 mm apart	3000
dp6	3¢	eldp; green; cream border defining stamp size;	
•		with large green 50 mm x 60 mm solid colour;	
		on wove paper 58 mm x 60 mm with blue lines 10 mm apart	3000
dp7	3¢	eldp; yellow brown; cream border defining stamp size;	
•		with large yellow brown 50 mm x 60 mm solid colour;	
		on wove paper 58 mm x 60 mm with blue lines 10 mm apart	
dp8	3¢	esdp; pale pink; cream border defining stamp size; on thin pale pink card	2000
dp9	3¢	esdp; pale green; cream border defining stamp size; on thin pale green card	2000
dp10	3¢	esdp; pale rose pink; cream border defining stamp size; on thin pale rose pink card	
dpll	3¢	esdp; dark rose pink; cream border defining stamp size; on thin dark rose pink card	
dp12	3¢	esdp; yellow green; cream border defining stamp size; on thin yellow green card	
dp13	3¢	eldp; blue green; cream border defining stamp size; on thin blue green card	
dp14	3¢	eldp; black; cream border defining stamp size; on thin gray card	2000
dp15	3¢	esdp; black; perforated portrait oval; on white wove paper	
dp16	3¢	eldp; pale pink; no border around stamp; with solid pale pink colour on wove paper	1100
dp17	3¢	eldp; dark green; no border around stamp; with solid dark green colour on wove paper	2300
dp18	3¢	eldp; yellow green; scrolls added to outer frameline; cream border defining stamp size;	
~		with solid yellow green colour on wove paper	1800
dp19	3¢	eldp; black; scrolls added to outer frameline;	
		cream border defining stamp size; with solid black colour on wove paper	2500
dp20	3¢	eldp; pale rose pink; cream border defining stamp size; on thin rose pink card	2000







TELQx1dp10







NSSC TELQx1dp8



NSSC TELQx1dp19

TELQx2 eldp; black; post card; on manila wove paper (1) 3¢



NSSC TELQx2

1868 - 93 QUEEN VICTORIA - LARGE QUEEN issue ENGRAVED. NO WATERMARK. PERFS. 5 different

21 **15¢** Queen Victoria, (Feb. 1868-1893); 2712 M

imprint inscription imprint inscription imprint inscriptior imprint inscription **★** TOP MARGIN △ COVER US \$ II ★ BOTTOM **★★** NHVF 2x USED US IV★ RIGHT **★** HVF US

This denomination had eight specific groups of printing timeline issuances: 1868-74; 1874-75; 1875-77; 1877-80; 1880; 1880-87; 1887-88;

 $B = 11.6 \times 11.94$ $C = 11.75 \times 12.12$ And four perforations found: A = 11.94E = 12.25And these recognizable paper types: thin; medium; E & G. BOTHWELL CLUTHA MILLS Bothwell wmkd; Pirie script wmkd; thick carton; coarse vertical wove. Alexv. Pivie & Sons

NSSC manner for 15¢ cataloguing.

1880 timeline issuance. Paper type: thick carton; medium. perf. A

clear deep violet, thick carton A 2200 550 aj clear deep violet, medium A 2200





carton paper					
1880 - 87 timeline is	suance. Paper type: medium. perf. A	BC			
ak	deep blue gray; A	400	50	500	
al	blue gray; A	400	50	500	
am 🗸 🦠	pale blue gray; A	200	50	500	
an ()	deep slate gray; A	200	50	500	
ao 📗	slate gray; A	175	50	500 30	000
ap (B)	pale slate gray; A	150	50	500	
aq blue gray	blue gray (1881 - 82); B	1625	300	1000	
ar	slate gray (1881 - 82); B	1550	300	1000	
as	blue gray (1881 - 82); <i>C</i>	1450	300	1000	
at	slate gray (1881 - 82); <i>C</i>	1700	300	1000	
1887 - 88 timeline is	suance. Paper type: coarse vert. wove.	perf. $\emph{\textbf{\textit{E}}}$			
au dee	ep blue (Studd's blue), coarse vert. wov	re; E 2050	770	1550	
1888 - 93 timeline is	suance. Paper type: coarse vert. wove.	perf. $m{E}$			
av	deep slate; <i>E</i>	150	50	500	
aw	dull slate; <i>E</i>	150	50	500	
ax	gray violet; $\boldsymbol{\mathit{E}}$	150	50	500	
ay	gray purple; <i>E</i>	150	50	500	
az	re-entries in CANA, left 15, FIFTE	3800	1500	2500	



NSSC 21 au

800 re-entry in POS and doubling of arc 1200 ba gray violet pawnbroker; 3 dots outside right 15 900 550 1550 bb position 10 plate crack in oval 750 420 1500 bc stitch watermark **—** 1575 1 known

125*

- 4850* 4850* 4850* 4850*

6500

bd used* margin imprint IV inscription be bf imperf. brown violet; margin imprint IV inscription Gummed 0.400 M (4 each known*) 2550 pawnbroker; 3 dots outside right 15 9200 bg imperf. imperf. NG bh 1250 bi imperf. NG w/ diagonal SPECIMEN.) 2850 1250 bj imperf. NG (Colour trial; brown purple) imperf. NG (Colour trial; deep purple) 1000 bk ctldp; dark green; on India (1) 15000 15¢ 30000 15¢ ctldp; intense black; on India (1) 15¢ ctldp; black; on India (2) 15000 15¢ ctsdp; red brown; stamp size; on India 15¢ ctsdp; dark blue green; stamp size; on India 15¢ ctsdp; black; stamp size; on India

ctsdp; dark blue green; stamp size; wove

ctsdp; dark blue; stamp size; on card



NSSC 21 bk II

NSSC 21 bj IV

2000



15¢

15¢

15¢

dpl

dp2

dp3 dp4

dp5

dp6

dp7

dp8

NSSC 21dp1

NSSC 21dp2








NSSC 21dp9

SPECIMEN not done in Canada; applied by British PO for 1893 U.P.U.

© Walsh BNA S	pecialized Sta	mp Catalogue (NSSC)		1203			_	_	_	_
ENGRAVE	ED. NC	VICTORIA - SM WATERMARK Igham Collection	IMPERFORA	TRIAL ESSAY issue TE	↔	★ TOP COUNTER	★ TOP MARGIN imprint inscription	★ BOTTOM imprint inscription	★ LEFT mprint inscription	′★ RIGHT imprint inscription
	Small (ot contracted no	g Trial Essay or ordered by CPO. Printing Co. Ltd	★ VF US	* TOI	I ★ TC impr	II ★ B(impr	III ★ III impr	IV★ RIGHT imprint ins
TESQx7	a 2 b 2	2¢ blue; engraved has PROOF	l; blue glazed p l; blue glazed p - IMPRESSIO	aper aper;	750 750 1250			2500		
dpl		Japanese pa dp; blue; engrave	per	G	1550			1000		
NSSC TESO	Qx7	NSSC TESQx7 II	NSSC TESQx7a	NSSC TESQX7 b	THE REAL PROPERTY.	NSSC	TESQx7c		2	





NSSC TESQx8



NSSC TESQx8 II



NSSC TESQx8a



NSSC TESQx7 b back

NSSC TESQx8dp1



NSSC TESQx7dp1

NSSC TESQx8dp2

800 TESQx9 3¢ blue; engraved; on India



NSSC TESQx9

TESQx10	•	3¢	black; engraved; on India	400		
:	a 3	3¢	gray; engraved; on India	400		
]			black; lithographed; white glazed paper	400	1500	800
•	c 3	3¢	brown black; lithographed; white glazed paper	400		



NSSC TESQx10



NSSC TEQx10a



NSSC TESQx10b



NSSC TESQx10b II



NSSC TESQx10b III



NSSC TESQx10c

© Walsh BNA Spec	cialized Stam	p Catalogue (NSSC)		1204			_	_	_	_
ENGRAVED	D. NO		SMALL QUEEN TR K. IMPERFORATE n auction		S	TOP COUNTER	★ TOP MARGIN imprint inscription	★ BOTTOM imprint inscription	★ LEFT mprint inscription	★ RIGHT imprint inscription
TESQx designates catalogue prefix for left facing Trial Essay resembling Small Queen designs; not contracted nor ordered by CPO. Design by Canadian Bank Note Engraving & Printing Co. Ltd									III ★ LEFT imprint i	IV★ RIGHT imprint ins
TESQx11 a b c	3¢ 3¢	red orange; red; lithogra red; engrave	aved; on India lithographed; white ş phed; white glazed p d; on India	paper	400 400 400 500	1500 850	1500	3500 3500		2000
NSSC TESQX	x11 N	; red; engraved	NSSC TESQx11a Counter + NSSC TESQx11a I	NSSC TESQx11a		NSSC TE	SQx11b	NSS	SC TESQx	ille
THRE	EE CEN		2 3 3	de Post						





NSSC TESQx11c II





NSSC TESQx11dp1

TESQx12 5¢+10¢+15¢ sdp; green; composite dies; engraved; 100 stylized counter top margin; wove paper

5¢ green; engraved; on India 10¢ green; engraved; on India 600 b 15¢ green; engraved; on India 600



NSSC TESQx12

TESQx13



NSSC TESQx12 b NSSC TESQx12 c 5¢+10¢+15¢ sdp; orange carmine; composite dies; engraved;

wove paper on card 6500 orange carmine; engraved; on India a 10¢ orange carmine; engraved; on India 600 b 15¢ orange carmine; engraved; on India 600



NSSC TESQx13





NSSC TESQx13 a

NSSC TESQx13 b

TESQx14 5¢+10¢+15¢ sdp; blue; composite dies; engraved; wove paper on card

5¢ blue; engraved; on India 600 b 10¢ blue; engraved; on India 15¢ blue; engraved; on India 600





1¢+3¢; 5¢+10¢+15¢ sdp; black; composite dies; *notation* 137; TESQx15 India on cloth paper 8000



NSSC TESQx15

1897	QUEEN	es the 60 th anniversary of Queen Victoria's reign. VICTORIA - DIAMOND JUBILEE issue (JUNE 19)	★ HVF US \$ ★★ NHVF 3x	USED US	COVER US	Top US \$
ENC	RAVED.	NO WATERMARK. PERF. 11.94 x 11.94	→ ★	0 (\Box	* I
39	3¢ a b	Queen Victoria, bright rose; 20000 M rose with black serif SPECIMEN.	20 20 500	1 1	5 5 —	_ _ _
	С	OTTAWA No. 1; No. 2; No. 3; No. 4; No. 11;				0.45
	1	No. 12; No. 13; No. 14; No. 28; No. 29	2500		_	265
	d 2 known	imperf. bottom margin	3500 50	1000		<u></u>
	e f	imperf. OTTAWA No. 2; No. 11 NG 3 M imperf. OTTAW/ NG	50	_	_	1200
	σ	imperf. \ No. 12 NG	' _			2300
	g h	imperf. \ No. 14; No. 29 NG	_		_	4500
dpl	3¢	ldp; bright rose; sunk on card (3) NSSC 39 b	2500	_	_	
dp2	3¢	sdp; bright rose; stamp size; on India (2)	1200	_	_	_
dp3	3¢	sdp; bright rose; imprint; on card (2)	1050			
dp4	3¢	ctsdp; black; on card (1)	600		_	
dp5	3¢	ctldp; black; on India (6)	1750		_	_
dp6	3¢	ctsdp; blue; sunk on card (2)	1750			
dp7	3¢	ctsdp; brown; on card (2)	1000		_	
dp8	3¢	ctldp; deep purple; on card (4)	2000	_	_	_
dp9	3¢	ctsdp; dark violet; on card (4) NSSC 39 e	1700			_
dp10) 3¢	psdp; green; unadopted frame; sunk on card (4)	1750	_	_	_
dp11		ctldp; blue green; sunk on India (2)	1750	_	_	_
dp12		ctldp; purple; sunk on card	1750		_	_
dp13		ctldp; black; sunk on card	2500			
dp14		ldp; lake; sunk on card (2)	2000	_	_	_
dp15	5 3¢	ldp; deep red; <i>notation</i> #1, blue 3 Cents, black three cents, W.M. sunk on card (1)	3500	_	_	
dp16		ldp; dark red; <i>notation</i> writing, (10) on back; on card	3500	_	_	_
dp17		ctldp; dark brown; <i>notation</i> writing, (6) on back; on card	3500		_	_
dp18		ctldp; dark brown red; notation writing, (30) on back; on card	3500			
dp19) 3¢	ctldp; dark yellow brown; notation Three Dollars, W.M., (16) on				
1 00	0.1	sunk on card	3500			
dp20		ctldp; yellow green; <i>notation</i> writing, (33) on back; on card	3500	_	_	_
dp21		ctldp; green black; <i>notation</i> 15c, W.M., (12) on back; on card	3500			
dp22		ctldp; indigo blue; <i>notation</i> 50c, W.M., (17) on back; on card	3500			
dp23		ctldp; dark violet; <i>notation</i> writing, (26) on back; on card	3500 3500	_	_	_
dp24 dp25		ctldp; dark violet; <i>notation</i> Two Dollars, W. M., (21) on back; on card ctldp; deep red violet; <i>notation</i> Four Dollars, W.M., (36) on back; on car			_	_
dp26		ctldp; deep dark violet; <i>notation</i> writing, (14) on back; on card	3500			
dp27		ctldp; dark violet; <i>notation</i> writing, (11) on back; on card	3500			
dp28		ctldp; purple; <i>notation</i> #4, Four Cents crossed out, Four Dollars, \(\)				
-r-	, ,	sunk on card	3500		_	
dp29	3¢	ctldp; orange; <i>notation</i> writing, (19) on back; sunk on card	3500	_	_	_
	Inni cons	NSSC 39dp2 NSSC 39dp3 NSSC 39dp5	?		THIRE CENT	
		Mose 25ab2 1799C 25ab3 Mose	C 204-6			





NSSC 39dp3



















NSSC 39dp14

NSSC 39dp29

NSSC 39dp10 with dot in UL paper margin













△ COVER US \$


O USED US


M.	12 /C	THE STATE OF THE S		
6	8	2	tom The Vacifor	75
	NI	CCC	63 a	

_		NSSC 163 a	0.4	73	27	
63	2¢	Queen Victoria, carmine, Die I,	NSSC 63 d		NSSC 63	B g
		frame has 4 thin lines (August 20, 1899); 619000 M	25	1	1	
	a	re-entry spur on foot of 2	165	55	100	_
	b	stitch watermark	150		_	_
	c	OTTAWA No. 3; No. 4; No. 5; No. 6; No. 7; No. 8;				
		No. 9; No. 10; no. 11; No. 12; No. 13; No. 14		_	_	350
	d 1 cover*	imperf. OTTAWA No. 3; No. 4; No. 10 Gummed 0.500 M	1 1000	_	750*	1950
	e	imperf. OTTAWA No. 3; No. 4; No. 10 NG 0.160 M	250	_	_	1250
	f 10 known	imperf. gutter pair NG	2250	_	_	_
	g	bisect on cover	950	_	_	_









NSSC 64 n

64 Queen Victoria, carmine, Die II, (June 1900) has two attempts to fix; 2¢ initially - Die; center space between lines 2 and 3 were retouched on plates 11 and 12; secondly - Die IIa; middle lines now closed in, frame has thick line between 2 thin lines.

O	naly - Die	Ha; middle lines now closed in, frame has thick line between 2 th	in lines.			
	a	Die II; retouched center space	45	10	40	_
	b	Die IIa; middle line closed in, shows thick line between 2 thin lin	nes 20	1	2	_
	c	re-entry spur on foot of 2	165	55	100	_
	d	stitch watermark	150			_
	e	OTTAWA No. 11; No. 12 (retouched, Die II)	_			575
	f	OTTAWA No. 15; No. 16; No. 17; No. 18;				
		No. 19; No. 20 (Die IIa)	_			575
	g	imperf. NG (Die II)	1125			_
	h	imperf. OTTAWA No. 16 NG (Die IIa) 0.500 M ^{NSSC 64 h}	925			2860
	i 3 known*	imperf. Die IIa; OTTAWA No. 15 top margin NG	_			5500*
	j	booklet pane of 6 (late time period cover seen)	1200		750	_
	k	booklet single	50	15		_
	1	imperf. booklet stamps on				
		vert. wove manilla coloured paper NG	500			_
	m 19 know	imperf. tete-beche booklet pane NG	15000			_
	n 1 known	imperf. top margin plate OTTAWA No. 1;				
		tete-beche booklet pane NG	18000			_
	O 4 known	imperf. as tete-beche NG	6100			_
-	2¢	ctldp; olive black; imprint; India on card; die # F-116 (1)	1500			_
2	2¢	ctldp; olive black; yellowed card (1)	1000			_
3	2¢	ctsdp; black; stamp size; on card (3)	500			_
ŀ	2¢	sdp; carmine; stamp size; on India (2)	500			_
)	2¢	ctsdp; black; imprint; stamp size; glazed paper; die # F-116 (3)	2500			_
(2¢	composite; one has numeral areas blacked out; carmine; on card	1500		_	_



dpl dp2 dp3 dp4 dp5 dp6





NSSC 64dp5



NSSC 64dp6



EKU? second printing dry printed stamp; 5 October 1907

For the 2¢ Edward VII stamps, printing Plates 1 to 30 with the rough top/bottom oval were probably in an unhardened state so that printing Plates 1 and 2 and printing Plates 5 to 30 [14, p. 1; 15, p. 1255] were bent for the rotary press while the printing Plates 3 and 4 were flat plates and did not need to be bent [5, pp. 73-74]. Printing Plates 31 to 86 [14, p. 1; 15 p. 1255] with smooth top/bottom oval were probably in a hardened state and were bent for the rotary press first starting sometime around late 1905 [5, pp. 17, 25, 72, 74-77; 1, p. 33]. The dry printed stamps from 1905 from printing Plates 13, 14, 15 and 16 have rough top/bottom oval with a design width of 18-18.5 mm and a paper thickness of 0.0022"-0.0032" [5, p. 129]. The dry printed stamps from 1907 from printing Plates 31, 32, 33 and 34 have smooth top/bottom oval with a design width of 17.8-18 mm and a paper thickness of 0.0024"-0.0029" [5, p. 129].



Rough Oval and Smooth Oval [14, p. 1; 15, p. 1255]

There is the 1907 experimental dry printed imperforate on dry pregummed paper plate proof stamps having blue-black horizontal line from Plates 31 and 32 known as Scott/Unitrade 90v/ NSSC 77i, 77j [7, pp. 21-22; 8, p. 84] and the same stamps having gutters in between as Scott/Unitrade 90vi/NSSC 77k, 77l [7, pp. 20-21; 8, pp. 79, 81, 83]. The 1907 experimental wet printed imperforate gummed plate proof stamps with a red horizontal line from Plate 43 is listed as Scott/Unitrade 90iv/NSSC 77m [7, p. 23; 8, p. 84] and the same stamps having gutters in between as Scott/Unitrade 90vi/NSSC 77n [7, p. 23; 8, p. 83].



Scott/Unitrade 90vi; NSSC 77k, 77l, 77n gutter strips of 4

The Scott/Unitrade 90v/NSSC 77ae, 77af part sheets have written on their upper left margins "2nd Lot of Printing" which is referring to the 1907 second lot of experimental dry printing [7, pp. 20-21; 8, pp. 79, 81]. The Scott/Unitrade 90iv/NSSC 77ag part sheet has written on its upper left margin "Regular" which is referring to the usual regular wet printing [7, p. 23; 8, p. 83]. These were all first anonymously reported in 1965 which was fifty eight years after 1907 [16, pp. 118-120; 5, pp. 32, 129-130, 134].

1911 - 25 KING GEORGE V - ADMIRAL issue ENGRAVED. NO WATERMARK. PERF. 11.94 x 11.94

horizontal wet printing size 17.5 mm; dry printing size 18 mm.









O USED US \$ ★ HVF US \$ ★★ NHVF 3x △ COVER US

light brown

yellow brown

95		2 ¢	King George V, brown War Tax form as 1 T ¢ Die I, as white double lined, solid line under T (Sept. 16, 1916); 500 M 320 1 2
	a		horiz. pair, imperf. vert.; 0.400 M 525 — —
	a b		vert. pair, imperf. horiz.; 0.400 M 525 — —
	c		imperf. NG 3 M, Holmes; 7.5 M, Lowe 230 — —
	d		coil perf. 7.96 vert. War Tax form as 1T¢ 7500 M 235 10
	e		coil perf. 7.96 vert., paste up pair, brown 475 — —
	f		coil perf. 7.96 vert., yellow brown 190 10 15
			coil perf. 7.96 vert., paste up pair, yellow brown 390
	g h		OTTAWA No. A1 937A 375 375 375 375
	i		OTTAWA No. Al imperf.
	;		OTTAWA No. A2 937A 375 375 375 375
) k		OTTAWA No. A2 imperf.
	1		OTTAWA No. A3
	m		OTTAWA No. A3 imperf.
	n		OTTAWA No. A3 horiz. pair, imperf. vert. 975 975
	0		OTTAWA No. A3 vert. pair, imperf. horiz. 975 975
			OTTAWA No. A4
	p a		OTTAWA No. A4 imperf.
	q r		OTTAWA No. A4 938D horiz. pair, imperf. vert.
	S		OTTAWA No. A4 938D vert. pair, imperf. horiz. 1275 1275
	t		OTTAWA No. A5
	u		OTTAWA No. A6
	V		OTTAWA No. A7
	W		OTTAWA No. A8
	X		OTTAWA No. A9
	y		OTTAWA No. A10 NSSC 95 e
	\mathbf{Z}		OTTAWA No. All
	aa		OTTAWA No. A12
	ab		OTTAWA No. A13
	ac		OTTAWA No. A13 imperf.
	ad		OTTAWA No. A14 NSSC 95 g
			1100C 70 g

No lathework

ae

af

dpl



2¢

NSSC 95dp1



OTTAWA No. A14 horiz pair, imperf. horiz.

Aug 09 1916 hand cancel; India sunk on card;



OTTAWA No. A14 imperf.

NSSC 95 die I



NSSC 95dp1 die stamp image



ldp; brown; notation Approved by P. M.G., 9/9/16; POSTAGE STAMP BRANCH Superintendent,

3000



NSSC 96dp2 die stamp image



1500

NSSC 95 ae




NSSC 95 af

ENG	RAVED. N	GEORGE V - ADMIRAL issue NO WATERMARK. PERF. 11.94 x 11.94 orinting size 17.5 mm; dry printing size 18 mm.	★ HVF US \$	O USED US \$	△ COVER US \$	I ★ Top US \$	II ★ Bottom US	III ★ Left US \$	IV★ Right US \$
112	\$1	King George V, orange,						معمدهم و	
		dry printing (July 22, 1923); 1865 M	100	10	600		POAPOS	MOAF	000
	a	OHMS five hole perforated	_	115	380	A O	\$ 0 B		
	b	brown orange, dry printing	120	10	600				
	c	deep orange, wet printing	150	10	600		DOLLAR	1 DOLI	AR 1
	d	pyramid guide block	2000			4	******	4	• • • • • •
	e	R-GAUGE block	1950						
	f	Lathework type D; 100% strength		350					A Commission
	g wet print	Lathework type D; 60% strength	320		950				
	h	imperf. dry printing Gummed; 0.200 M	1750	_	_				
	i dry print	T-5 OTTAWA No. A- 1 982A			1	875	1875		_
	j	T-5 OTTAWA No. A- 1 982A imperf.					7500		_
	k wet print	T-5 OTTAWA No. A- 1 982A				875	1875		_
dpl	\$1	ldp; orange; <i>notation</i> initials; 115 Orange; Ma India sunk on card	y 23, 19 2000	23 CI —	3N Co —	hand —	lstamp oi —	n back; —	_
dp2	\$1	ldp; orange;							
F	-	India sunk on card; die # X-G-8 (17)	2000	_			_		_
dp3	\$1	ctldp; olive black; on card; die # X-G-8 (4)	2500	_		_			_
dp4	\$1	ctsdp; slate black; stamp size; on card (6)	500	_		_			
dp5	\$1	ctldp; olive black; yellowed card							
C. B. OT MAN AND MAN A	N Ca. TAWA. 23 107 Dopt.	C 112dp1 NSSC 112dp2	DOLL NSSC 1	AR I	· 	I DOL	LARI DOLLAR		

NSSC 112dp3




verso





 $\boldsymbol{D} \hspace{0.1in} \text{type lathework found on the plates} \\$



ADx designates catalogue prefix for proposed Admiral Issue design not associated to issued values

ADx1	6¢;	eldp; red carmine;							
		India sunk on card; die # O-G-421 (11)	6500	_	_	_	_	_	_
dpl	6¢;	ectsdp; black; on card; die # O-G-421 (4)	32500	_	_	_	_	_	_
dp2	6¢;	ectsdp; black; stamp size;							
		on card; die # O-G-421 (4)	2500	_	_			_	_
dp3	6¢;	ectsdp; black; stamp size; on card (6)	1200	_	_		_	_	_
dp4	6¢;	ectsdp; carmine; stamp size; on card (6)	2000			_	_	_	—
ADx2	10¢;	eldp; black; PARCEL POSTAGE; Permit No. 1 on card (1)	2345; W 2000	ARNI —	NG	;	**	. Jackson	
dpl	10¢;	eldp; above on card; with Winnipeg Manitoba (1)	3000			_	a d	EL POSTRO	



NSSC ADx1







NSSC Adx1dp4



NSSC ADx2

1928 - 1929 KING GEORGE V - SCROLL issue ENGRAVED. NO WATERMARK. PERF. 11.94 x 11.94 with help from John I. Jamieson.

Imperforate plate images courtesy of Spink Shreves Galleries.

CBNCo. Ottawa. Sheets printed 400 as 4 panes of 100.

PO issued sheets in 100 as 10 horiz. x 10 vert. for 1¢, 2¢, 3¢, 4¢, 5¢, 8¢.

Sheets printed 200 as 2 panes of 100.

PO issued vert. separated horiz. guillotined sheets in 100 as 10 horiz. x 10 vert. for 10¢, 12¢, 20¢, \$1. Sheets printed 100.

PO issued several full sheets of 100 as 10 horiz. x 10 vert. for the 50¢. Too cumbersome to handle. They then did vert. separation of the 100 sheet into PO issued sheets of 50 as non-guillotined sheets in 50 as 5 horiz. x 10 vert. for 50¢.

h.p.i.v. = horizontal pair, imperf. vertical v.p.i.h. = vertical pair, imperf. horizontal





125	1¢ King George V, orange (October 25); 278652 M	3	1	3	_
	a OTTAWA No. A 1 901-C.A; No. A 2 901-C.A; No. A 3 901-	·C.A;			
	No. A 4 901-C.A; No. A 5 901-C.A; No. A 6 901-C.A	_			80
	b imperf. OTTAWA No. A 1 901-C.A Gummed 1.500 M	125	_	_	1150
	c h.p.i.v. OTTAWA No. A 1 901-C.A; No. A 3 901-C.A; Gummed 1.500 M	140		_	3400
	d v.p.i.h. OTTAWA No. A 2 901-C.A Gummed 1.500 M	140			3400
	e imperf. OTTAWA No. A 2 901-C.A				
	(horiz. laid paper) NG 0.800 M (4 known*)	250]	1230*
	f imperf. OTTAWA No. A 2 901-C.A				
	(vert. laid paper) NG 0.400 M (2 known*)	250]	1430*
	g OHMS five hole perforated		45	100	
	h coil perf. 7.96 vert. (1929); 10000 M	30	20		
	i coil perf. 7.96 vert., paste-up pair	90	65		
	j booklet pane of 6	25	10		
	k booklet single	4	2		
	l imperf. tête-bêche booklet pane of 12 has 4.5 mm vert. gutter Gummed	1250		_	
	m imperf. tête-bêche booklet pane of 8 has 4.5 mm				
	vert. gutter with 3.0 mm horiz. gutter Gummed	650		_	
	n imperf. tête-bêche booklet pane of 8 has 4.5 mm				
	vert. gutter with 4.5 mm horiz. gutter Gummed	950		_	
	o imperf. tête-bêche booklet pane of 8 has 17 mm				
	vert. gutter with 3.0 mm horiz. gutter Gummed	950		_	
	p imperf. tête-bêche booklet pane of 8 has 17 mm				
	vert. gutter with 4.5 mm horiz. gutter Gummed	1150			
	q imperf. horiz. tête-bêche pair has 4.5 mm vert. gutter Gummed	350		_	
	r imperf. horiz. tête-bêche pair has 17 mm vert. gutter Gummed	450			
dpl	esdp; dark tan; George V vignette; on card (1)	600		_	
dp2	vldp; black; George V vignette; India sunk on card (4)	600		_	
dp3	1¢ ldp; orange; India sunk on card (10)	1000			
dp4	1¢ ldp; orange; CANADA; India sunk on card; die # X-G-197 (10)	1000			
dp5	1¢ sdp; orange; on India (3)	400	_		_











NSSC 125dp4 NSSC 125dp1



examples show CBNCo printer; sheet-fed rotary press dry print; no gum breakers; embossed looking gum; perf. 11.94 x 11.94

1930 - 1931 KING GEORGE V - ARCH and LEAF issue ENGRAVED. NO WATERMARK. PERF. see denomination w/ help from Julian J. Goldberg research articles; back of catalogue. BABNCo used dry flat press; wet rotary press; dry rotary press.

BABNCo. Sheets printed 400 as 20 horiz. x 20 vert. as 4 panes of 100.

PO issued sheets in 100 as 10 horiz. x 10 vert. for 1¢, 2¢, 3¢, 5¢ plate 1,2; wet rotary with 4¢, 5¢ plate 3, 8¢ orange plate 3, 10¢, 10¢ Cartier plate 1; dry rotary.

Sheets printed 200 as 2 panes of 100. PO issued sheets in 100 as 10 horiz. x 10 vert. for 10¢ Cartier plate 2, 3; dry flat. Sheets printed 200 as 10 horiz. x 20 vert. as 4 panes of 50.

PO issued vert. separation horiz. guillotined sheets in 50 as 5 horiz. x 10 vert. for 12¢, 20¢, 50¢; dry rotary? Sheets printed 100. PO issued sheets in 100 as 10 horiz. x 10 vert for 8¢ blue; 8¢ orange plate 1, 2; dry flat. Sheets printed 100. PO issued vert. separated horiz. guillotined sheets in 50 as 5 horiz. x 10 vert. for \$1; dry flat?



136	1¢	King George V, orange, wet;	N.					NSSC 13	26 f
130	14	perf. 11.25 x 10.94 (July 17); 74900 M	2	1	3			NSSC I	JO 1
		A Company of the Comp	34	1	•				
	a position 96	re-entry in right 1, wet	40	20	50				
	b 1 known	imperf. strip of 3, wet Gummed	9000	_		_	_	_	_
	c	Plate No. 1; No. 2, wet				8	8	8	8
	ca	Plate No. 1; No. 2, wet $V \star Center UL$	_				8	_	
	d 7 known	perf. 10.94 x 10.94, wet* (*needs cert.)		3250					
	e	coil perf. 8.75 vert., wet (Sept. 18); 2000 M	15	9		_	_	_	_
	f	coil perf. 8.75 vert.; line pair	40	25		_	_	_	_
dpl	1¢	psdp; orange; stamp size; POST instead of POS	TAGE;						
		India on card (3)	2000	_	_	_	_	_	_
dp2	1¢	pldp; orange; POST instead of POSTAGE; nota	ation PJ	V,					
		June 29; India on card (1)	3000	_		_	_	_	_
dp3	1¢	ctpldp; black; POST instead POSTAGE;							
•		Îndia on card (3)	2000			_			
dp4	1¢	ldp; orange; POSTAGE; stamp size;							
•		notation PJV, 4 Oct 28 on large glazed paper	2500		_	_			
dp5	1¢	ldp; orange; POSTAGE; stamp size;							
*		on large glazed paper (3)	2500	_	_	_	_		
ups	14	*	2500	_	_	_	_		







C 136dp2

Since the Goldberg and Walsh discovery article, which is attached to this issue, another researcher John De Ell in conjunction with Julian J. Goldberg have been doing intensive searching of the other denominations in this issue that were printed by the rotary press wet method. They wanted to find if the same situational problem was fixed by the initial discovery method. That method utilizes a different perforator to complete the job. And have they been diligent! Huge quantities of used stamps were searched. A few in 10.94 x 10.94 (generic 11 x 11) perforations have been found for these stamps. It seems that





NSSC 136 b; wet rotary press gum

NSSC 136 b
wet rotary pr

these perforations were done on the left-over (waste) paper from the start and the end of the printing run. This paper remnants was cut into individual sheets and then were perforated on the different sheet perforator machine. They are on thicker paper due to the start and end of the paper roll when it was being made. They are:



NSSC 136 d perf. as top 10.94 x 10.94 bottom 11.25 x 10.94



NSSC 137 c perf. as top 10.94 x 10.94 bottom 11.25 x 10.94



NSSC 141 d perf. as top 10.94 x 10.94 bottom 11.25 x 10.94



NSSC 143 f perf. as top 10.94 x 10.94 bottom 11.25 x 10.94



NSSC 144 d perf. as top 10.94 x 10.94 bottom 11.25 x 10.94

An example (fig.1) can be seen at http://www.saskatoonstamp.com/rare/rare_arch_collection.htm thanks to John I. Jamieson. It is known for years that three pairs exist. Their present whereabouts are unknown to the authors. These had to have come from the rotary press continuous wet ungummed sheet *waste scrap* material. The paper grain weave is vertical.

Their present whereabouts were unknown to the authors. Then in September 2016 Eastern Auctions Limited showed the block of three to us. The front and back images (fig. 1-1, fig. 1-2, fig. 1-3) were sent complimentary from Yohann Tanguay. The Eastern Auctions firm

www.easternauctions.com was auctioning these items



Lot # 74 (fig. 1-3) is the missing complement piece to the top right of fig. 1.

So from this information it can be seen that larger pieces of this *waste scrap* paper would have been salvaged. At this time in history, the 1930s, the era of the Great Depression, there was a call for saving not wasting. Realizing that processing this huge order was having printing problems to get filled, the pressmen took the undamaged stamped gummed imaged paper that would be considered suitable and trimmed it to the single sheet size and place them on to the single sheet-fed wheel perforators.

Even though this single sheet-fed perforator had a different perforation setting no great thought was given to there being such differences. Just get the total required contract quickly filled with the necessary printed stamp images would be the ethic.



Top: 11×11 11×11

Presented (figs.2-1; 2-2; 2-3; 2-4; 2-5) are the *discoveries* which prove what the pressmen had said happened, did occur. They are shown paired with different sheet stamps to enable perforation comparisons. The top stamps are 11 x 11 perforated and the bottom stamps are 11.25 x 11 perforated. The perforation hole size is shown to be larger on the 11 x 11 perforated top stamps. It can be demonstrated and is readily observed from these images that two different perforations exist. The 11.25 x 11 perforation had to come from the web-fed rotary press perforator while the printed sheet stamps from the rotary press that were perforated 11 x 11 had to come from the single sheet-fed perforator as it had different size wheel perforators.







r HVF US \$ r★ NHVF 2x	O USED US \$	COVER US \$	* OL US \$	★ UR US \$	II ★ LL US \$	V*I.R US \$
בע	\bigcirc		7	Ι		>

151	10¢	Georges Etienne Cartier, dark green, perf	f. 10.94 x 10.94					
		(Sept. 30, 1931); 64300 M	10	1 10				
	a 10 known	gutter pair	2600					
	b	Plate No. 1, dry rotary	_		80	80	80	80
	c	Plate No. 2, dry flat	_		_	220	_	220
	d	Plate No. 3, dry flat	_		_	360	_	360
	e imperf.	Plate No. 1 Gummed 0.300 M	600					1280
	f	OHMS five hole perforated	_	45 150	_		_	
dpl	10¢	ldp; green; stamp size; notation AS, 17/8/31; BABN handstamp;						
		Aug. 17 1931; India on card (1)	3500				_	



NSSC 151dp1







152	12¢	Quebec Citadel, gray, perf. 10.94 x 10.94							
		(Dec. 04); 6975 M	25	2	35				
	a	Plate No. 1	_			110	110	110	110
	b	extra vert. perfs.	50	15	100				
	c	extra vert. perfs. Plate No. 1	_	_	_	250	250	250	250
	d imperf.	Plate No. 1 Gummed 0.1500 M	900	_	_		2500		
	e	OHMS five hole perforated	_	150		_	_	_	_
dpl	12¢	psdp; black; stamp size; POST instead of POST	AGE;						
		India on card (3)	2000	_	_	_	_	_	_
dp2	12¢	pldp; black; stamp size; POST instead of POST	AGE; n	otatio	<i>n</i> app	,			
		P. J. Venoit, July 15 1929; India on card (1)	3000	_	_	_	_	_	_
dp3	12¢	pldp; black; stamp size; POST instead of POST	AGE; n	otatio	<i>n</i> app	,			
		PJV, 25 July 29; India on card (1)	3000	_	_	_	_	_	_
dp4	12¢	ldp; black; stamp size; POSTAGE;							
_		Îndia on card (3)	2500	_	_	_	_	_	_
dp5	12¢	ldp; black; stamp size; POSTAGE; notation App	proved,						
-		PJV, July 9/1930; India on card (1)	3500	_	_	_			



NSSC 152dp1



NSSC 152dp2



NSSC 152dp4





156



	perf. 11.25 x 10.94 (eku Nov. 02, 1932)	2	1	10				
a l	shifted surcharge, wet	225	_	_				
b	Plate No. 3, wet	_			45	40	10	15
ba a a a a	Plate No. 3, wet $V \star Center UL$	_				55	_	_
c	Plate No. 4, wet	_			35	30	10	30
ca	Plate No. 4, wet $V \star$ Center UL	_				45	_	
d	Plate No. 5, wet	_			45	10	10	40
da	Plate No. 5, wet $V \star$ Center UL; UR	_				55	_	_
e	Plate No. 6, wet	_			45	35	45	45
ea	Plate No. 6, wet $V \star$ Center UL; UR	_				55	_	_
f	perf. 10.94 x 10.94, wet* (*needs cert.)							
g	OHMS five hole perforated, wet	_	55		_	_	_	_





NSSC 157 b

157	3 on 2 ¢ King George V surcharge, deep red, wet, Die II, large dot in P of POSTAGE;											
	ľ	perf. 11.25 x 10.94 (June 21, 1932) 58265 M	3	2	10							
	a	extended moustache, wet	80	50	90							
	b	shifted surcharge, wet	130	_	_							
	c	Plate No. 7; No. 8*, wet	_	I	150*	5	5	5	5			
	d 7 known	perf. 10.94 x 10.94, wet* (*needs cert.)	3	250								
	e	OHMS five hole perforated, wet	_	45	100							
dpl	3 on 2¢	ldp; deep red; stamp size;										
		notation AS, 25/5/32; on card	3500		_	_			_			



NSSC 157dp1



NSSC 157 d perf. as top 10.94 x 10.94 bottom 11.25 x 10.94

© Walsh BNA Specialized	Stamp Catalogue (NSSC)	1385			\$				
1935 KING GEO	25 th anniversary of reign of King Geo DRGE V - SILVER JUBILEE issue (1 O WATERMARK. PERF. 11.94 x	MAY 04)	HVF US \$	USED US \$	COVER US	* OL US \$	* UR US \$	* TT US \$	* LR US \$
SAMACIAN RAINE HOTE CE CITATIVA 19 2 5 5 5 5 5 NSSC 178 c I			**	0		* 1	, II	Ш	⋆VI
178 5¢	Prince of Wales, blue; 3050 M		5	3	10				
a	OTTAWA No. 1					60	100	60	75
b	OTTAWA No. 2					75	125	75	75
c imperf.	OTTAWA No. 2 Gummed 0.	.200 M	350	_	<u> </u>	600]	1600	
d	imperf. NG 0.800 M		80	_				_	
	. ^	N Y C	1050						

170	JΨ	Timee of vvales, blue, 3030 lvi	J)	10				
	a	OTTAWA No. 1	_			60	100	60	75
	b	OTTAWA No. 2	_			75	125	75	75
	c imperf.	OTTAWA No. 2 Gummed 0.200 M	350		— I	600		1600	_
	d	imperf. NG 0.800 M	80						
	e 32 known	imperf. pair with vert. gutter NG	1050	_	_				
	f 32 known	imperf. pair with horiz. gutter NG	1050						
	g 2 known	imperf. block; with horiz. and vert. gutter NG	4500						
	h	OHMS five hole perforated	_	90					
dpl		vldp; black; photographic vignette Prince of Wa	ales in ov	al; <i>no</i>	otatio	n 0-82	9 E Lc	oizeaux,	
•		2/11/35; on large wove paper (1)	500	_	_				
dp2	5¢	pldp; blue; no triangles in numeral boxes; no sh	ading in	ornai	ments	, leave	es;		
^		India sunk on card (8)	1500						
dp3	5¢	pldp; blue; triangles in numeral boxes;							
^		India sunk on card (8)	1500						
dp4	5¢	pldp; blue; FOR APPROVAL; Engraving Order	Departn	nent,	ALS l	nandst	amps o	on revers	se;
^		India sunk on card (1)	1500						
dp5	5¢	pldp; blue; FOR APPROVAL; notation Do not	like eyes	, DEV	W, M	ar 16	1935;		
^		Îndia sunk on card (1)	1500						
dp6	5¢	pldp; blue; FOR APPROVAL; notation right ey	elid put	down	, left	eyebro	w stre	ngthene	d;
^		India sunk on card (1)	1500	_	_	· —		_	
dp7	5¢	epsdp; black; stamp size; photographic essay of	unfinish	ed de	velop	ment;			
_		on kraft card; Jan. 30/35; die # 0829 (1)	200	_	_			_	
dp8	5¢	epsdp; black; stamp size; photographic essay of	finished	devel	lopme	ent;			
_		on kraft card; Feb 7/35; die # 0829 (1)	200	_	_			_	
dp9	5¢	ldp; blue; India on card (2)	1500	_	_				_
dp10	5¢	ldp; blue; imprint							
		India sunk on card; die # X-G-591 (4)	1000	_	_				_
dpll	5¢	ldp; blue; imprint; <i>notation</i> wrong colour;							
_		India sunk on card; die # X-G-591	1000		_			_	
dp12	5¢	ldp; blue; March 27 1935 on back;							
^		Îndia sunk on card (1)	2500		_			_	
dp13	5¢	ldp; blue; CBN handstamp on back, notes by A	S and P	Г Сос	olican	March	14, l	935;	
•		Îndia sunk on card (1)	2500	_	_	_	_	_	_
dp14	5¢	ctldp; black; India sunk on card (1)	1100	_	—	_	_	_	



NSSC 178dp2



NSSC 178dp3



NSSC 178dp4



NSSC 178dp5





NSSC 178dp10



NSSC 178dp11



NSSC 178dp12



NSSC 178dp13



176dp5 $NSSC\ 175dp2$



176dp6 NSSC 175dp3 178dp8

 \triangle COVER US \$

O USED US \$

 \star HVF US \$ $\star\star$ NHVF 2x

1937 KING GEORGE VI - MUFTI issue ENGRAVED. NO WATERMARK. PERF. 11.94 x 11.94

Coil differentials discovered by Julian J. Goldberg





NSSC 193 m; partial double overlay on front (via Gary Steele)

193	2¢	King George VI, brown (April 01); 1163000 M	1	1	5				
	a	pale yellow brown	3	1	5				
	b	No. 1; No. 2; No. 3; No. 4; No. 5; No. 8							
		No. 11; No. 13		_	_	3	3	3	3
	c	No. 5 partial double front overlay 0.100 M	50	_	_	_		_	250
	d	No. 5 plate cracked		_	_	25	25	_	_
	e	No. 6		_	_	8	8	8	8
	f	No. 7		_	_	40	30	30	40
	g	No. 9; No. 10		_	_	95	25	80	55
	ga	No. 9; No. 10 $V \star TMC$; $VI \star BMC$		_	_		100		100
	h	No. 12		_	_	9	9	20	20
	i	No. 14		_	_	25	20	20	20
	j imperf.	No. 2 Gummed 0.200 M	400		_	_		_	1800
	k	OHMS five hole		5		_		_	
	1	No. 2; No. 4; No. 11; No. 13 OHMS four hole	2	3		_		35	
	m	No. 7; No. 12 OHMS four hole	2	3		_	_	90	_
	n	No. 9; No. 10 OHMS four hole	2	3		_	_	250	_
	0	coil perf. 7.84 vert. (June 18); 34565 M	4	1		_	_	_	_
	p	coil perf. 7.84 vert., jump strip	20	10		_		_	_
	q	coil perf. 7.84 vert.; OHMS four hole	95	80		_	_	_	_
	r	coil perf. 7.96 vert.; uneven perforation align	ment;						
		from sheet-fed wheel perforator	200			_	_	_	_
	S	booklet pane of 4 (May 14)	15			_		_	_
	t	booklet single	1	1		_		_	_
	u	booklet pane of 6 (May 03)	7			_	_	_	_
dpl	2¢	ldp; brown; H M King George VI; imprint;							
		India sunk on card; die # X-G-651 (4)	1200	_	_	_		_	_
dp2	$2 \mathfrak{c}$	sdp; brown; stamp size; notation XG 651;							
		on India (1)	800	_	_				_






NSSC 193dp2



NSSC 193 r coil strip with uneven perforation alignment; made from sheet-fed wheel perforator perf. 7.96



1942 - 43 War Issue

by Donald J. LeBlanc

Introduction

This research study is offered to *Walsh BNA Canada Specialized Stamp Catalogue*. It is from years of findings, particularly the plate blocks with focus on the imperforate issue formats. Catalogue numbers are as NSSC #s.

Intent of the War Issue

"Why not commemorative stamp/s instead of a new general issue, similar to the Royal Visit Issue?" The Royal Visit commemorative stamps were issued on May 15, 1939 with a limited printing and were sold out in 1939. Mr. A.S. Deaville, supervisor of the Postage Stamp Division answered that with an article in 'Popular Stamps' published July 1942 (same month release date as the War Issue). Excerpts are from the first three paragraphs: "Many people in Canada and elsewhere have felt that Canadian stamps should reflect more accurately the times in which we live,- that Canada's material contribution to the cause of the Allied Nations and her vital importance as a great air training center, and food reservoir for beleaguered Britain, could be effectively advertised to the world through the medium of her postage stamp designs, which circulate in billions on the North and South American Continents, and throughout the British Commonwealth, ultimately penetrating to every corner of the globe."

"Anyone who is acquainted with the philately of the Dominion will know that changes in Canadian postage stamp issues are not frequently or lightly made. Postmaster General Mulock had many considerations to ponder before deciding on a course of action. Hundreds of interested persons wrote to him, suggesting a special commemorative War issue of some kind. But such stamps have only a short life, and after their withdrawal, the Canadian people would have to return to the use of the old stamps, which were designed and issued some years before the outbreak of War. (eg: Mufti Issue of 1937). For publicity purposes a new general issue, designed to last 'for the duration' offered much greater advantages."

"The Postmaster General decided upon a complete change in Canada's regular postage stamps. Three recent photographs of His Majesty King George VI were specially flown from London. These portraits show him in Naval, Military and Royal Air Force uniforms, respectively, in service dress, as head of the British Armed Forces. Subjects illustrating Canada's war effort on land, on sea and in the sky were carefully selected for the pictorial stamps. Some basic innovations in design were decided upon and the result is the series of stamps appearing this month."

The article continues with descriptions of each stamp. Two items found are,(fig.1) a photocopy of the original post office announcement poster of 1942. Item (fig.2) was described in auction as: '1 cent to 1 dollar War Issue complete set of photographic essays prepared by Canadian Bank Note Company and mounted on a special presentation card, a great rarity, VF Estimate value - \$1000.'

Quantities of Stamps Issued

NSSC # common 1¢ - 5¢ values

 207
 1¢ KGVI green
 2,543,000,000

 208
 2¢ KGVI brown
 471,000,000

 209
 3¢ KGVI dark carmine
 606,000,000

 210
 3¢ KGVI rose violet
 2,118,000,000

 211
 4¢ Grain Elevator green black
 7,900,000

212 4¢ KGVI dark carmine 3,149,000,000 213 5¢ KGVI deep blue 174,000,000

DOMINION OF CANADA POSTAGE STAMPS
NEW ISSUE OF IBRZ

CANADA

C





fig.2

In retrospect: assume that 1940s Canada population was about 13 million people; subtract under age of six; number drops to 10 million. Consider cost of mailing a letter at 3¢ or 5¢ destination pending. During this nine year period, these Canadians, would have to write about 900 letters to utilize this quantity! Some issued stamp images are presented.

9,068,900,000



Total =

NSSC # 216 13¢ Ram Tank



NSSC # 217 14¢ Ram Tank



NSSC #218 Corvette



NSSC # 219 Munitions Factory



NSSC # 220 Tribal Class Destroyer

⊌ wais	sn BNA Specialized	Stamp Catalogue (NSSC) 1467							
ENG! CBNC	RAVED. N o. Ottawa. Sl	issue - STEAMER and MONOPLANE (JUNE 1 NO WATERMARK. PERF. 11.94 x 11.94 neets printed 200 as 10 horiz. x 20 vert. divided D issued sheets in 50 as 5 horiz. x 10 vert.	(5) ★ HVF US *	O USED US \$	△ COVER US \$	I ★ UL US \$	II ★ UR US \$	III ★ LL US \$	IV★ LR US \$
6	(h)	CANADA CONTRACTOR OF THE CONTR							
AM 6	6¢	Steamer and Monoplane, blue; 29008.65 M	4	1	10				
	a	Ottawa No. 1	_		_	15	15	15	15
	b imperf.	Ottawa No. 1 Gummed 0.150 M	700		_	2500		2500	2500
	c imperf.	Ottawa No. 1 NG 0.400 M	150		_	1450	1450	1450	1450
	d 12 known	imperf. pair with vert. gutter NG	1450		_	_	_	_	_
	e 32 known	imperf. pair with horiz. gutter NG	1050		_	_	_	_	_
	f 2 known	imperf. block; w/ horiz. and vert. gutter NG	5500	_	_	_	_	_	_
	g	OHMS five hole	_	60		_	_	_	_
	h	OHMS four hole	4	1		60	60	60	60
dpl		pdp; black; plane over ship photographic vigne	tte;						
		India on card (1)	300	_	_		_	_	_
dp2	6¢	pdp; green; frame only; printer handstamp on l	oack;						
		India sunk on card (1)	3000	—	_		_		
dp3	6¢	ldp; blue; imprint; India sunk on card;							
		die # XG-674 (5)	1500	—	_		_		
dp4	6¢	ctldp; blue; stamp size; notation XG-674, red 1	938;						
		India sunk on card (1)	500	—	—	_	_		
dp5	6¢	ctldp; red brown; imprint;							
		India sunk on card; die # XG-674 (15)	1500	_	_	_	_		_
dp6	6¢	ldp; blue; India sunk on card							
dp7	6¢	ctldp; brown; India sunk on card							













1942 AIRMAIL issue - 6¢ R.C.A.F. TRAINING PLANE (JULY 01) ENGRAVED. NO WATERMARK. PERF. 11.94 x 11.94

CBNCo. Ottawa. Sheets printed 200 as 4 panes of 50. PO issued sheets in 50 as 5 horiz. \times 10 vert.

Donald J. LeBlanc research provides quantity of imperf. plate positions.





AM 7	6¢	R.C.A.F. Training Plane, deep blue; 14990 M	5	1	10				
ä	a	Ottawa No. I	_	_		20	20	20	20
1	b	Ottawa No. 2	_	_		525	425	425	425
(c imperf.	Ottawa No. 1 Gummed 0.150 M (* 2 ea	ch) 500				2850*	_	3250
(d 5 known	imperf. top margin Plate No. 1	1850	_			4650	_	
(e	Ottawa No. 1 OHMS four hole	4	2		75	75	75	75
f	f	pair with missing OHMS four hole		150			_	_	_
g	g	Ottawa No. 2 OHMS four hole	4	2		850	_	_	_
dpl	6¢	ldp; blue; <i>notation</i> s; India sunk on card (2)	2000	_	_		_	_	_
dp2	6¢	ldp; blue; imprint; India sunk on card;							
_		die # X-G-750 (2)	2000	_			_	_	
dp3	6¢	ldp: blue: India sunk on card							



NSSC AM 7dp2









★★ NHVF 2x

O USED US

COVER US



III ★ LL US

NSSC PD 4 e

NSSC PD 4 f

5¢ (July 01, 1906-24 wet plates 1, A 2; 1926-28 dry plates A 2, A 3)

size Width mm x Height mm: wet $21.15 \times 17 < 17.15$; thin $21 \times 17.15 < 17.5$; dry $21 \times 17.5 < 17.6$ violet; (July 01, 1906-24 wet plate 1, A2; PD 4 5¢ 10 1 50 50 1926-28 dry plates A 2, A 3); 13000 M 15 1 10 7 thin paper; (wet A 2); (October 1924) a 20 b red violet; (dry A 3); (1928) 10 OTTAWA No. 1 right side; wet 280 280 c or d OTTAWA No. A 2 921H right side; wet 280 280 T.4 or 320 320 L.B.C. OTTAWA No. A 3 921L right side; dry f imperf. OTTAWA No. 1 NG 0.100 M right side; wet 450 3500 3500 or 650 pyramid block of 4; (wet A 2) g h R-gauge block of 4; (wet A 2) 650 5¢ ctldp; black; imprint; on yellowed card; dpl die # CANADA F-180 (3) 2000 5¢ 1000 dp2 ctsdp; black; stamp size; on card (3) 5¢ ctsdp; gray green; stamp size; imprint; India; dp3 die # CANADA F-180 1000 5¢ ldp; violet; imprint; India sunk on card; INDEX COPY; dp4 2500 die # Canada F-180





size Width mm x Height mm: dry 21.5 x 18





NSSC PD 4dp3



NSSC PD 5 a

PD 5 10 violet; dry plate A 1 (July 03, 1928); 1000 M 45 50 OTTAWA No. A 1 909A right side 2650 or 2650 a 10¢ ldp; dark violet; imprint; dpl India sunk on card; die # X-G-189 1200 10¢ ldp; dark violet; *notation* PJV, 6 June 28; dp2 2000 India sunk on card 10¢ ctldp; black; dp3 2000 on yellowed card; die # X-G-189 (3) 1000 ctsdp; black; stamp size; on card (3) 10¢ dp4 dp5 10¢ ctsdp; black; stamp size; imprint; India; die # X-G-189 1000 dp6 10¢ ldp; violet; India sunk on card; INDEX COPY; 2500 die # X-G-189











NSSC PD 5dp4

NSSC PD 5dp6

225

1930 - 31 KING GEORGE V - ARCH and LEAF issue

English November 17, 1930 1694 M; French November 17, 1930 115 M

BK 16 140 g 2¢ deep red, die I x 2 panes of 6; dry flat; red orange cover; no binding 175 150 — a red orange cover; no binding; having pane tabs with PLATE; NO. 4; NO. 5 750 675 —



1930 - 31 KING GEORGE V - ARCH and LEAF issue

English July 23, 1931 147 M; French July 23, 1931 30 M

BK17 142 e 2¢ dark brown, die I x 2 panes of 6; dry flat; dark manila cover; no binding 150 550 —

a dark manila cover; no binding; having tabs on panes with PLATE; NO. 4 750 900 -





NSSC BK 17

1930 - 31 KING GEORGE V - ARCH and LEAF issue

English July 13, 1931 3444 M; French July 13, 1931 250 M

BK 18 144 f 3¢ deep red x 2 panes of 4; dry flat; no binding 150

a dry flat; no binding; having tabs on panes with PLATE; NO. 1; NO. 2

0. 1; NO. 2 400 525





1930 - 31 KING GEORGE V - ARCH and LEAF issue

English November 13, 1931 302 M; French November 13, 1931 20 M

BK 19 138 g 1¢ deep green, die II x 1 pane of 4; dry flat;

+ 143 f 2¢ dark brown, die II x 1 pane of 4; dry flat;

+ 144 f 3¢ deep red x 1 pane of 4; dry flat; no binding 450 500 — a dry flat; no binding; having tabs on panes with PLATE; NO. 1; NO. 2 600 825





1932 KING GEORGE V - MEDALLION issue

English December 28, 1933 72.087 M; French March 26, 1934 15.461 M

BK 20 16111¢ dark green x 4 panes of 6; dry flat; Post Office or Les Mandats 170 225 — a Post Office or Les Mandats; having pane tabs with PLATE; NO. 2 300 480 — b Register or Recommendez 175 220 — c Register or Recommendez; having pane tabs with PLATE; NO. 2 275 425 —







NSSC BK 20

NSSC BK 20

CANADA DIGNITARY BOOKLETS

DBK 10 1924 December 23. 8th Universal Postal Union Congress, Stockholm. Admiral Issue.

500 known



DBK 10

Measures 155 mm x 122 mm; bound in dark navy blue leather, with view of railroad train inscribed POST OFFICE DEPARTMENT above the train and CANADA below, with train and inscriptions enclosed in a shield flanked by maple leaf on each side of the shield. Embossing is in gold, end papers are a light brown and green marbled paper. Inside contains two linen pocketed pages, CANADA POSTAGE STAMPS 1924 printed at top. Pockets contain: 1911 Admiral issue 1¢ yellow, 2¢ yellow green, 3¢ carmine, 4¢ olive bistre, 5¢ violet, 7¢ red brown, 10¢ blue, 20¢ olive green, 50¢ black brown, \$1 orange, plus 1¢, 2¢, 5¢ of first postage due issue and 20¢ special delivery of 1922 issue. 1850

DBK 11 1924 **Admiral Issue**. Booklet measures 155 mm x 122 mm; bound in dark navy blue leather, with



Coat of Arms in center and CANADA at lower right corner. Embossing is in gold, end papers are a dark brown and green marbled paper. Inside contains two linen pocketed pages, CANADA POSTAGE STAMPS 1924 printed at top. Pockets contain: 1911 Admiral issue1¢ yellow, 2¢ yellow green, 3¢ carmine, 4¢ olive bistre, 5¢ violet, 7¢ red brown, 10¢ blue, 20¢ olive green, 50¢ black brown, \$1 orange, plus 1¢, 2¢, 5¢ of first postage due issue and 20¢ special delivery of 1922 issue. 450

DBK 11


DBK 12 1925 April 11. **Admiral Issue**. Measures 155 mm x 122 mm; bound in bright red leather, with

125 known




DBK 12

Coat of Arms in center and CANADA in lower right corner. Embossing is in gold, end papers are a red marbled paper. Inside contains two linen pocketed pages, CANADA POSTAGE STAMPS printed at top. Pockets contain: 1911 Admiral issue 1¢ yellow, 2¢ yellow green, 3¢ carmine, 4¢ olive bistre, 5¢ violet, 7¢ red brown, 10¢ blue, 20¢ olive green, 50¢ black brown, \$1 orange, plus 1¢, 2¢, 5¢ of first postage due issue and 20¢ special delivery of 1922 issue. 1275



500 known



with Coat of Arms in center and CANADA in lower right corner. Embossing is in gold. Inside contains two linen pocketed pages, CANADA POSTAGE STAMPS printed at top. Pockets contain: 1¢ yellow, 2¢ yellow green, 3¢ carmine, 4¢ olive bistre, 5¢ violet, 7¢ red brown, 10¢ bistre brown, 20¢ olive green, 50¢ black brown, \$1 orange Admiral stamps, both 2¢ on 3¢ surcharges of 1926, plus 1¢, 2¢, 5¢ first postage due issue and 20¢ special delivery of 1922 issue. 450

DBK 14 1927 May 31. **60th Anniversary of Confederation**. Measures 152 mm x 122 mm;

500 known



DBK 14

bound in bright red, fine grained leather. 1897 - CONFEDERATION - 1927 stamped in gold beneath a Coat of Arms. CANADA appears in lower right hand corner. Inside contains linen lined pocketed page.

SPECIAL ISSUE OF CANADIAN POSTAGE STAMPS 1927 printed at top with EMISSION SPECIALE DE TIMBRES POSTE DU CANADA 1927 at bottom. Pockets contain: 1¢ Macdonald, 2¢ Fathers of Confederation, 3¢ Parliament Buildings, 5¢ McGee, 5¢ Laurier, 12¢ Laurier and Macdonald,

12¢ Map, 20¢ Baldwin and Lafontaine plus 20¢ special delivery of 1922 issue.

FORGERIES of CANADA

This section of the NSSC is provided from the intense research and the gracious generosity of researcher, Richard Gratton. From his own published papers he has offered NSSC the use of his research and findings.

 $\frac{1}{2}d$ 1857; 1858

NSSC 1



Forgery # Colour Print style Paper Thickness Perforation imperf. Forger Valuation

Genuine 1 Deep rose Engraved India .0020 inch \$250

 $\frac{1}{2}d$ 1857; 1858

NSSC 1

Forgery # Colour Print style Paper Thickness Perforation Forger

Forgery 1D Dark rose Engraved Cream wove .0034 inch 10.7 - 11.7 Oneglia \$300 Valuation

3d 1851; 1852; 1858

NSSC 2

Forgery # Colour Print style Paper **Thickness** Forger Valuation

Genuine 2 Red; shades Engraved Laid; Wove .0018-35 inch Perforation imperf.; *11.75 x 11.75 imperf. \$12500; \$1500; *\$16200

3d 1851; 1852; 1858

NSSC 2

Forgery # Forgery 2D Colour Brown red Print style Lithographed Paper Wove Thickness .0040 inch Perforation imperf. Forger unknown Valuation \$75

Genuine 1 Rose Engraved Wove .0028-33 inch imperf.


\$700



Forgery 1E Carmine Lithographed Gray wove .0043 inch imperf. unknown \$25



Forgery 2A Orange red Engraved Laid; Horiz, Vert. .0043 inch Oneglia \$250



Forgery 2B

Red brown

Engraved



Forgery 2E Deep red Lithographed Gray wove .0043 inch imperf.+missing 'sun' unknown \$25



Genuine 1 Rose Engraved Wove .0028-33 inch 11.75 x 11.75 \$2700



Forgery 1A Rose Engraved Cream wove .0040 inch 10.7 - 11.7 Oneglia \$250



Forgery 2C Red brown Engraved Cream wove .0033 inch imperf. unknown \$500

1926 - 1927 PATRICIA AIRWAYS and EXPLORATION LIMITED issue ENGRAVED. NO WATERMARK. PERF. 11.75 X 11.75

STYLE ONE (types, styles next page) green & red on yellow paper, perf. 11.75 X 11.75



NSSC SOAM 15



NSSC SOAM 15 c



NSSC SOAM 15 d







NSSC SOAM 15 e

NSSC SOAM 15 k

	1	133C 30/MVI 13 C 11-1-1-11 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1,000000	
SOAM 15	(25¢) a	as its face value; without numerals, (July 01, 1926); 12.800 M	35	70
	a	route inscription in blue-black ink; 0.488 M	60	100
	b	small t in TO; 0.050 M	450	575
	C	missing route inscription	1875	_
	d 1 known	missing marginal inscription	2250	
	e	pale yellow paper	60	90
	f	pale yellow paper; small t in TO	420	550
	g	horiz. pair, imperf. vert.+ Red Lake doubled and inverted	2500	_
	h 1 cover	RED LAKE inverted		2500
	i	imperf. (4 covers)	425	1400
	i	Colour trials; canary, buff, green, blue	420	_
	k	green frame on white wove paper NG	600	_
flights	fa	New York / Toronto / Red Lake; March 23;		
0		backstamped March 23, 1926 (75; stampless SOAM 19)		150
	fb	Toronto / Red Lake; March 27; backstamped March 27, 1926 (134; stampless SC	DAM 19)	120
	fc	Sudbury / Red Lake; March 29; backstamped March 29, 1926 (45 km		145
	fd	Pogomasing / Red Lake; April 06; backstamped April 06, 1926 (20 kg		240
	fe	Sioux Lookout / Red Lake; April 12; backstamped April 12, 1926 (25	,	
	ff	New York / Red Lake; March 21; backstamped March 21, 1926 (3 kg		575
	fg	Sioux Lookout / Red Lake; July 07; backstamped July 07, 1926 0.415		70
	fĥ	Red Lake / Sioux Lookout; July 07; backstamped July 07, 1926 0.770		70
	fi	Sioux Lookout / Pine Ridge; July 07; backstamped July 07, 1926 0.12		70
	fj	Pine Ridge / Sioux Lookout; July 07; backstamped July 07, 1926 0.14		70
	fk	Cryderman Mine / Sioux Lookout; August 17; backstamped August 17, 1926		
	fl	Sioux Lookout / Cryderman Mine; August 25; backstamped August 25, 1926		
	fm	Red Lake / Woman Lake; August 26; backstamped August 26, 1926	,	190
	fn	Woman Lake / Red Lake; August 26; backstamped August 26, 1926		190
	fo	Goldpines / Rolling Portage; October 05; backstamped October 05, 19	926	70
	fp	Toronto / Red Lake; December 18; backstamped December 18, 1926		70
	fq	Toronto / Red Lake; December 18; backstamped December 18, 1926 (+FED re	ed initials)	875
	fr	Toronto / Red Lake; December 18; backstamped December 18, 1926 (+F E D blue-bla		
	fs	Haileybury / Rouyn; March 31; backstamped March 31, 1927	,	225
	ft	Rouyn / Haileybury; April 09; backstamped April 11, 1927		70
dpl	amldp; orig	ginal A.J. Algate preliminary hand sketch; black and red pencil design for	or airmai	l stamp;
1		il date $14/6/26$; on watermarked wove paper (1)		1100
dp2		drawn frontal view Curtiss Lark airplane; black ink, silver gray paint on	white care	
1	^	educe same as; gray paper overlay shows A.J. Algate The Map Specialty business label		1300
dp3		notype van dyke blue frame, wording proof; on wove paper; pane of 8 (1000
dp4		notype van dyke blue airplane, date proof; on wove paper; pane of 8 (1)		1000
dp5		posite die; frame, airplane; red ink control mark locations;	,	
- F -		s F.E. Davison OK 19 / 6 / 26 (1)		1500
dp6		nal hand drawn sketch of Maple Leaf flight cachet; for first flights to Red	Lake Gol	
1		man Lake & Birch Lake mockup insert; on thin blue paper (1)		275
dp7		ound proof; both Red Lake Goldfields, Woman Lake & Birch Lake bla	ck cache	
ı		surface paper (1)		275
dp8		cachet Red Lake GoldFields; on wove paper (3)		150
dp9		n cachet Red Lake GoldFields; on wove paper (3)		150
ı	1,0	, 1 1 1 /		



NSSC SOAM 15dp1



NSSC SOAM 15dp2





NSSC SOAM 15dp4







NSSC SOAM 15dp7

CGOF 19


50

CANADA GOVERNMENT OFFICIAL AIRMAIL FLIGHTS (CGOF) Only airmail flights originating in Canada; manner and sequence by NSSC



omy amma		Sites of girllatering in Cartada, marrier and sequence by 11000	
CGOF 1		1912 May 10 — Winnipeg, Manitoba Air Circus (crashed (CAS); delivered by ground) Winnipeg - Toronto May 10; cancelled Grand View, Ontario, May 14 (1 known)	2000
CGOF 2	a	Montreal - Toronto (registered cover)	2500 2700
CGOF 3	a b	NSSC CGOF 2 1918 July 09 — Calgary - Edmonton. Flown by Katherine Stinson 0.250 M Calgary - Edmonton (O.H.M.S. cover) Calgary - Edmonton (oil soaked cover)	3800
CGOF 4		1919 March 03 — Vancouver - Seattle (60 known)	3500
CGOF 5		1919 May 18 — Victoria - Seattle (3 known) NSSC CGOF 3	1800
CGOF 6		1919 May 31 — Victoria - Vancouver. "Per Aeroplane Pathfinder"	
CGOF 7	a	1919 June 05 - 08 — Halifax - Three Rivers, Quebec - Grand Mere, Quebec Three Rivers, Quebec (1 known) Grand Mere; June 08; leaflets dropped (2 known)	
CGOF 8		1919 June 21-23 — Halifax - Grand Mere, Quebec (1 known)	
CGOF 9	a b c d e f g h i	Vancouver - Vernon (4 covers, papers known) Vancouver - Grand Forks (2-6 covers, papers known) Vancouver - Cranbrook (1 cover, papers known) Vancouver - Lethbridge (2 covers, papers known) Lethbridge - Vancouver (2 covers, papers known) Calgary - Golden; August 11 (2 covers, papers known) Calgary - Vernon; August 11* (1 cover, paper known) Calgary - Vancouver, August 11* (4 covers, papers known)	2200 2200 2200 2200 2200 2200 2200 1200 1200
CGOF 10		1919 August 16 — Victoria - Nanaimo (96 known)	600
CGOF 11	a	1919 September 24 - 29 — Truro - Charlottetown 0.150 M Charlottetown - Truro; September 29 (30 known) NSSC CGOF 11 a	600 1700
CGOF 12		1919 October 09 — Parrsboro, N.S Greenport, N.Y. Handley Page Flight NSSC CGOF 12	1800
CGOF 13		1920 August 18 — Saskatoon, Sask.; Edmonton, Alta.; Jasper, Alta.; Prince George, B.C. Hazelton, B.C.; Whitehorse, Yukon Territory; Dawson, Yukon Territory outgoing to: Dawson - Fairbanks, Alaska; August 18-19	.; 2800
CGOF 14	a		1200 1200
CGOF 15		1920 October 15 — Victoria - Seattle, Washington	175
CGOF 16	a	1921 January 02 — Camp Borden, Ontario - Leaside Station (Toronto) (1 known) Leaside - Camp Borden	2000
CGOF 17		1921 March — Vancouver - Seattle, Washington	50
CGOF 18 Type I — "C	Greet Simi	achet covers exist for an un-flown flight from Halifax to St. John's Nfld. 1922 June 22 — Lethbridge - Ottawa; three types of envelopes known: ings via the First Canadian Air Mail Plane from Lethbridge, Alta. The Little City with the Big Future." lar to above with "Southern Alberta, the Land of Irrigation and Sunshine, Greets You." tilar to Type I with "From the Crow's Nest Pass" added; on a yellow envelope	
	a b	Lethbridge - Ottawa, Type I Lethbridge - Ottawa, Type II Lethbridge - Ottawa, Type III	300 450 550

1925 September 21 — Victoria - Seattle — Seaplane Service
















NSSC PC 22dp2

© Walsh BNA Specialized Stamp Catalogue (NSSC)	\$	\$ \$
CANADA ENVELOPES 1923 KING GEORGE V SURCHARGE EMBOSSED. SIZE # 8 is 165 mm x 92 mm. SIZE # 10 is 241 mm x 105 mm. Printer: Govt. Printing & Stationery Dept., Ottawa; white cream wove paper Die III shows: value numerals are same height as CENT; rounded top on 3.	* MINT US	O USED US
EN 59 2 CENTS (black, 23 mm) on 3¢ red, EN 50a, size # 8	25 3	35
EN 60 2 CENTS (black, 23 mm) on 3¢ red, EN 50b, size # 8 carmine, EN 50c, size # 8		3 35
EN 61 2 CENTS (black, 25 mm) on 3¢ red, EN 50, size # 8	15	15
EN 62 2 CENTS (black, 25 mm) on 3¢ red, EN 50b, size # 8	25 3	35
1931 KING GEORGE V ENGRAVED. SIZE # 8 is 165 mm x 92 mm. SIZE # 10 is 241 mm x 105 mm. Printer: Govt. Printing & Stationery Dept., Ottawa; white cream wove paper Die V shows: value numerals larger than CENT; flat top on 3; flat printing; intense lin	nes in hair and bo	eard
EN 63 1¢ King George V, green, size # 8	3	3
EN 64 1¢ King George V, green, size # 10 a pre-cancelled	4 22	8 20
EN 65 1¢ King George V, orange, manilla paper, size # 10	5	12
EN 66 2¢ King George V, brown, size # 8	4 5	50
EN 67 2¢ King George V, brown, size # 10	4	4
EN 68 3¢ King George V, red, size # 8	3	1
EN 69 3¢ King George V, red, size # 10	3	3
1931 KING GEORGE V ENGRAVED. SIZE # 8 is 165 mm x 92 mm. SIZE # 10 is 241 mm x 105 mm. Printer: Govt. Printing & Stationery Dept., Ottawa; white cream wove paper Envelopes consists of two designs; Die III design + Die V design.		
EN 70 2¢ red Die III, EN 45 + 1¢ green, Die V, EN 63, King George V, size # 8	2	3
EN 71 2¢ red Die III, EN 46 + 1¢ green, Die V, EN 64, King George V, size # 10		3
EN 72 2¢ red Die III, EN 46 + 1¢ green x 2, Die V, EN 64, King George V, size #	10 75	
1932 KING GEORGE V ENGRAVED. SIZE # 8 is 165 mm x 92mm. SIZE # 10 is 241 mm x 105 mm. Printer: Govt. Printing & Stationery Dept., Ottawa, white wove paper. CANADA as straig	ht line. Frontal v	iew
EN 73 1¢ King George V, green, size # 8 dp1 1¢ ldp; green; sheet of 8 with 42 mm vert. gutter; Public Printing and Stationer oval handstamp verso; notation 24/11/31; white paper	y NOV 23 1931 250 -	2
NSSC EN 73dp1 NSSC EN 75dp1 NSSC EN 76dp1		
EN 74 1¢ King George V, green, size # 10 a pre-cancelled	3	5 20
EN 75 dp1 2¢ King George V, brown, size # 8 dp1 2¢ ldp; brown; sheet of 8 with 42 mm vert. gutter; Public Printing and Statione oval handstamp verso; <i>notation</i> Nov 31; white paper	2 ery NOV 23 1933 250	2 1 —
EN 76 3¢ King George V, red, size # 8 a print rotated 90 degrees right dp1 3¢ ldp; red; sheet of 8 with 42 mm vert. gutter; Public Printing and Stationery oval handstamp verso; white paper	1 500 - NOV 23 1931 250 -	1 —
EN 77 3¢ King George V, red, size # 10	2	3
EN 78 3¢ on 2¢ King George V, red, EN 46 Surcharged, size # 10	5 8	80

GENERAL POSTAL RATE TABLE

The information contained in the Canada Pence rate section is provided from enormous personal research done by Brian D. Murphy and C. R. McGuire. Additional information on the rates provided by Charles J. G. Verge. Their decimal rate information offers much to our proper understanding of these rates. The format was devised by NSSC. Check headings for other Pence rates.

DROP per letter	DROP letter by CARRIER	ADJOINING Town >12 miles	DOMESTIC Prepaid/unpaid	U.S. Ferriage Rate (to adjacent border town)	UNITED STATES		U.S. West Coast (>3000 miles) California/Oregon	Newspapers
-----------------	---------------------------	-----------------------------	----------------------------	---	---------------	--	--	------------

1851	April 06	
1851	July 01	
1857	August 01	

1855	July 01; Publis	hers could send their
1857	November 24;	earliest known date
1859	Inly Ol	

SOLDIER RATE not to exceed ½ oz.

(to or from non-commissioned personnel)

1795	May	12
1851	April	06

1859 July 01

1863 (Postal Guide)

1898 December 25

PARCEL POST RATES

1859	January 01
1859	April 01
1859	July 01
1868	April 01
1868	October 01
	April
1899	January

MAIL TO / FROM GOVERNMENT of CANADA

as well Provincial Proceedings, Petitions 1868 April 01 - to present Letter rates: per ½ oz. and each additional ½ oz. or fraction

Lette	rates:	per ½	oz. and	eacn a	aaitionai	72 oz. or iract	1011.	
$^{1}/_{2}d$	ld	_	3d	_	3d+US	3d+US postage		
$^{1}/_{2}d$	ld	_	3d	ld	6d	9d	free	
$^{1}/_{2}d$	ld	_	3d	ld	6d	9d	$^{1}/_{2}d^{*}$	
(*transient: mailed person to person with max. 3 oz.)								
printi	ngs fre	ee if it v	vas pub	lished i	n Province	e of Canada.		
$^{1}/_{2}d$	ld	ld	3d	ld	6d	9d	½d*	
1¢	2¢	2¢	5¢	2¢	10¢	15¢	1¢*	

SOLDIER RATE not to exceed ½ oz.

(to or from non-commissioned personnel) ld

1d 'via' Quebec or Halifax Routes only 2¢

2d if sent collect to United Kingdom only. redundant

PARCEL POST RATES

per lb. < 2 lb.	1s3d
per lb. < 3 lb.	1s3d
per lb. < 3 lb.	25¢
per 8 oz. < 3 lb.	$12\frac{1}{2}$ ¢
per 8 oz. < 4 lb.	$12\frac{1}{2}$ ¢
per 4 oz. < 5 lb.	6¢
Sealed parcel post	discontinued

MAIL TO / FROM GOVERNMENT of

during sessions. Official business. Free to members when in Parliament.

On May 12, 1795 a British Act of Parliament authorized the 1d rate for H.M. non-commissioned soldiers and sailors. It was extended to Canadian Volunteer Militia on active service in 1859.

CANADA







 $2\ensuremath{\complement}$ soldiers rate; sent during the Fenian Raids of 1866

		1040			Ę	
CANADA B	ILL REV	ENUE STAMPS (CBR)	OT LED	LED	UMEN	H P
Printer: Burl	and, Lafri	ΓΑΜΡS issue (AUGUST 01) cain and Company, Montreal ERFS. 12.7 x 12.7; 12.7 x 13.5; 13.5 x 12.7; 13.5 x 13.5	★ US \$ NOT CANCELLE	O US \$ CANCELLED	△ US \$ on DOCUMENT	I ★ TOP
CBR 1	1¢ a b	blue (all perfs.); 50 M shows CENT. horiz. pair, imperf. vert.	50 75 —	15 75 1650	_	
CBR 2	2¢ a	blue (perfs. 12.7 x 12.7; 12.7 x 13.5) (August 08) fishhook in C of CAN	25 150	10 150	225	
CBR 3	3¢	blue (all perfs.) 100 M	35	5		
CBR 4	4 ¢	blue (perfs. 12.7 x 12.7; 12.7 x 13.5) (August 29)	20	10		
CBR 5	5¢ a c	blue (all perfs.) (August 29) GANADA for CANADA vert. pair, imperf. horiz.	20 300 —	10 300 3000	150 —	350
CBR 6	6¢ a b	blue (all perfs.); 100 M STAMB for STAMP imperf. vert.	30 475 —	5 475 350	_	
CBR 7 position 91	7¢ a	blue (all perfs.) (August 15) SFVEN for SEVEN	15 400	10 400		350
CBR 8	8¢ a	blue (all perfs.) (August 15) feather in hair (position 29)	15 450	10 425		300
CBR 9	9¢ a b 1 know	blue (all perfs.) 100 M NINB for NINE vert. pair, imperf. horiz.	30 300 —	5 300 2200	75 —	
CBR 10	10¢ a c	blue (all perfs.); 40 M bottom legs of A in CAN not joined horiz. pair, imperf. vert.	50 200	10 200 3250	150 425	450
CBR 11	20¢ a 1 know	blue (perfs. 12.7 x 12.7; 12.7 x 13.5; 13.5 x 12.7); 40 M n horiz. pair, imperf. vert.	50 —	20 3500	450 —	
CBR 12	30¢ a 1 know	blue (perfs. 12.7 x 12.7; 12.7 x 13.5) vert. pair, imperf. horiz.	150 —	50 3200	_	
CBR 13	4 0¢	blue (perfs. 12.7 x 12.7; 12.7 x 13.5)	125	50		
CBR 14	50¢	blue (perf. 12.7 x 12.7;)	150	50		
CBR 15	\$1	blue (all perfs.)	450	130		
CBR 16	\$2	blue (perfs. 12.7 x 12.7; 12.7 x 13.5; 13.5 x 13.5)	75	75		
CBR 17	\$3 a b c d	blue (perfs. 12.7 x 12.7; 12.7 x 13.5) initials in top UR \$ STAMR for STAMP imperf. left margin vert. pair, imperf. horiz.	75 850 550 350 850	75 250 550 —		1050
CBR 1 - 17 CBR 1 - 17	dpl dp2	' O' ' II \ ' '	15000 13000		_	
ST ST	LIST	FIVE CENTS		500 800		













CBR 17 d

II ★ RIGHT MARGIN Imprint inscription

imprint inscription I ★ LEFT MARGIN

△ US \$ on DOCUMENT

CANADA GAS, ELECTRIC, ELECTRICITY and GAS,

WEIGHTS & MEASURES METER INSPECTION REVENUE STAMPS

Information and help received from John McEntyre.

Gas meter inspection stamps were affixed to certificates as a receipt for fees paid for verification of gas quality and accuracy of the meters used to measure consumption.

GAS METER INSPECTION STAMPS (CGR)

1875 CROWN issue having 4.5 mm or 3.5 mm red #s

Printer: British American Bank Note Company, Montreal in sheets of 100 as 2 panes of 10 x 5.

ENGRAVED. PERF. 12 x 12

CGR 1	5¢	blue, 3.5 mm red #s (1885); 11.6 M no #s	300 50	25 —	_
CGR 2		blue, 4.5 mm red #s; 22.6 M 3.5 mm red #s (1885); 44.6 M no #s	30 30 40	5 5 —	_
CGR 3		blue, 4.5 mm red #s; 24.2 M 3.5 mm red #s (1885); 121.5 M no #s	50 50 30	5 5 —	125 125 —
CGR 4		blue, 4.5 mm red #s; 25 M 3.5 mm red #s (1885); 27.4 M no #s	50 50 50	10 10 —	120 100 —
CGR 5	1	blue, 4.5 mm red #s; 24.9 M 3.5 mm red #s (1885); 1.3 M no #s imperf. NG (Colour trial; black, no #s)	50 650 50 500	10 650 —	_
CGR 6		blue, 4.5 mm red #s; 24.4 M 3.5 mm red #s (1858); 1.9 M no #s	50 475 50	15 300 —	125 —
CGR 7		blue, 4.5 mm red #s; 1.9 M 3.5 mm red #s (1885); 33.3 M no #s	170 40 50	100 10 —	25 —
CGR 8 a b c d	1	blue, 4.5 mm red #s; 2 M 3.5 mm red #s (1885); 11.7 M no #s imperf. (Colour trial; red; no #s) imperf. (Colour trial; black; no #s)	275 40 50 500 500	250 20 — —	_ _ _
CGR 9 adpl	\$10 \$10	blue, 3.5 mm red #s (1885); 9.6 M CGR 9dp1 no #s ldp; black; lathework at top; laid paper; die # 230	30 50 1200	10 — —	_



























1876 YOUNG Printer: Britis ENGRAVED	G QUEEN sh America . PERF. 12	NUE STAMPS (CLR) VICTORIA issue having red #s (eku: Maran Bank Note Co., Montreal x 12; 12 x 11.5 all values ski provide much insight on the IN PRIZE st		r US \$ NOT CANCELLE	O US \$ CANCELLED	★ LEFT MARGIN imprint inscription	I ★ RIGHT MARGIN Imprint inscription
dp1 dp2	50¢ a 12 know b c d e f g 25¢ 50¢	no #s imperf. no #s NG imperf. NG (Colour trial; green, no #s) imperf. NG (Colour trial; purple, no #s) imperf. NG (Colour trial; lake, no #s) imperf. NG (Colour trial; black, no #s) sdp; black; on India sdp; blue; wove paper	s)	350 350 750 750 750 800 1500	100 5500 20 —		- — - —
CLR 5	CLR 4 a \$1 a b c d e \$1	blue; 23.08 M no #s imperf. bottom margin imperf. NG (Colour trial; green, no #s) imperf. NG (Colour trial; lilac, no #s) imperf. black, no #s NG sdp; blue; wove paper	CLR 4dp1	TCLR 4 100 350 750 750 750 1500	50 — - 250 - — - — -	 	
8553 8553	S100	S1.00 S1.00 S1.00 S1.00		S1.0 CLR 5			
CLR 6 CLR 6dp2 dp1 dp2 dp3	\$5 a b c d e f g h i CLR 6dp \$5 \$5 \$5	imperf. NG (Colour trial; vermilion, no imperf. NG (Colour trial; light red, no imperf. NG (Colour trial; brown red, no	s) - #s) #s)	100 350 250 750 750 750 750 750 750 750 2500 800 1500	50	NSSC C	CLR 6dp1
(S5.00)	S5.00		S5.00	\$5.00 55500	(S.5.)		\$5.00



















★ US \$ NOT CANCELLED

1864 Ontario ALLEGORY OF JUSTICE issue
has blue C.F. (Consolidated Fund) overprint;
yellow F.F. (Fee Fund) overprint;
red L.S. (Law Society) overprint
Printer: American Bank Note Co. New York
ENGRAVED. PERF. 12 x 12

OLR 10		OOd groom blue C E	120 75						
OLK 10		90¢ green; blue C.F.							
	a	blue C.F. rouletted	250 250						
	b	blue C.F. rouletted horiz.							
		x perf. vert.	120 120	_					
	c	yellow F.F.	150 150	_					
	d	yellow F.F. rouletted	325 325	_					
	e	red L.S.	100 100	_					
	f	rouletted red L.S.	400 400	_					
	g	imperf. NG blue C.F.	25		75	75	100	100	150
	h	imperf. NG yellow F.F.	25		75	75	100	100	150
	i	imperf. NG mauve L.S.	25	_	75	75	100	100	150
	j	50 known imperf. NG	80 — —		175	175	175	175	350
dpl	,	90¢ sdp; blue; stamp size;							
•		Îndia on card	500 — —			_			_
dp2		90¢ sdp; green; stamp size;							
^		Îndia on card	500 — —			_			_
dp3		90¢ sdp; red; stamp size;							
^		Îndia on card	500 — —			_			_
dp4		90¢ sdp; orange; stamp size;							
^		Îndia on card	500 — —	_					
dp5		90¢ sdp; black; stamp size;							
^		India on card	500 — —		_	_	_	_	















III \star or O BOTTOM MARGIN

Imprint inscription

II ★ or ○ TOP MARGIN

I \star INVERTED S

imprint inscription

△ US \$ on DOCUMENT

O US \$ CANCELLED

V★ or O RIGHT MARGIN

Imprint inscription

(two words) top margin

VI ★ or O COUNTER

IV \star or \circ LEFT MARGIN Imprint inscription



1732	TC ED	ED	- - - - -
1912 - 1962 Quebec ALLEGORY OF JUSTICE LAW issue Printer: British American Bank Note Co., Ottawa ENGRAVED. PERF. 12 x 12; 11 x 11	★ US \$ NOT CANCELLED	O US \$ CANCELLEI	△ US \$ ON DOCUMENT
QLR 64 80¢ brown	10	5 15	
hairlines b 1 known double print c red HONORAIRES FEES d hairlines on red HONORAIRES FEES	15	10 1200	
QLR 65 90¢ red brown a red HONORAIRES FEES	20 15	10 5	15
QLR 66 \$1 red	15	1	
a orange	20	1	
b black HONORAIRES FEES	5	1	
c inverted black HONORAIRES FEES		1200	
d black LOI DE FAILLITE		20	200
BANKRUPTCY ACT e deformed F in LOI DE FAILLITE		30 120	200
f misspelled BANKRJPTCY in LOI DE FAILLITE QLR 66 e	1	375	
g black BANKRUPTCY ACT		3.3	
LOI DE FAILLITE	15	5	100
LINE PLASTRE			
QLR 67 \$2 purple	25	5	100
a hairlines b red HONORAIRES FEES	15	20 1	100
c hairlines on red HONORAIRES FEES	13	20	100
d inverted red HONORAIRES FEES		1200	
e red LOI DE FAILLITE			
BANKRUPTCY ACT		70	
red BANKRUPTCY ACT	10	_	
LOI DE FAILLITE pairlines on red BANKRUPTCY ACT	10 30	5 20	
h inverted red BANKRUPTCY ACT	30	1200	
in writed red Brit victor 1 of rich		1200	
QLR 68 \$3 green	20	10	
THREE DOLLARS THREE DOLLARS THREE DOLLARS THREE DOLLARS THREE DOLLARS THREE DOLLARS	15	10	
b red LOI DE FAILLITE			
BANKRUPTCY ACT	125	60	
c red BANKRUPTCY ACT LOI DE FAILLITE TROIS PLASTRES TROIS PLASTRES TROIS PLASTRES TROIS PLASTRES	250	250	
QLR 69 \$4 gray	30	15	
1 MONOD AIDEC FEEC	25	10	
a red HONORAIRES FEES	23	10	
red HONORAIRES FEES red LOI DE FAILLITE BANKRUPTCY ACT	23	75	

red BANKRUPTCY ACT

LOI DE FAILLITE

QUATRE PIASTRES

50

QUATRE PLASTRES

BRITISH COLUMBIA LAW REVENUE STAMPS (BCLR)

Information and help has been provide by J. Richard Fleet.

1879 - 1880 FIRST SERIES issue (DECEMBER) Printer: British American Bank Note Co. Montreal

ENGRAVED. PERF. 12 x 12

BCLR 1 **10¢** blue 50 M

1 *known Bottom margin imprint inscription dpl 10¢ ctsdp; black; stamp size; on India (1)

BCLR 2 blue (July 1880); 30 M 30¢ dpl 30¢ ldp; green; India on card (1)

dp2 30¢ ctsdp; vermilion; stamp size; on India (1)

sdp; blue; stamp size; on India (1) dp3 30¢







BCLR 3 **50**¢ blue (July 1880); 30 M

BCLR 4 \$1 blue 5 M

dark blue (July 1880); 20 M a



BCLR 1dp1

★ US \$ NOT

20

25

1000

800

800

1000

O OS \$

5

5


375

□ US \$ ON

1888 - 1891 SECOND SERIES issue (SEPTEMBER 22)

Printer: Daily Colonist Printing Co. Victoria

LITHOGRAPHED. DONNACONA WATERMARK PERF. 11 x 11



watermarked

watermarked

50¢ brown (November 10) 30 M





5

35

250

15

60

250

1893 - 1901 THIRD SERIES issue (JUNE 30)

Printer: Daily Colonist Printing Co. Victoria

LITHOGRAPHED. PERF. 11 x 11

BCLR 7

RI in BRITISH is joined and lower S sweep is broken





BCLR 8		10¢ carbon black (July 22) 335 M		10	2	150
	a	slate, perf. 12 x 12	STAND STAND	15	5	
	b	pinperfs (5.5 x 5.5)		25	15	
	c	1 known horiz. pair, imperf. vert.	30 K 22 (6 1/2) 35		_	950
	d	perf. 11 x 11; bisected on document	\$ 11 3 (c 11 2)	_	_	350
	e	perf. 12 x 12; bisected on document	ID CENTS ID	_	_	350
DCI D O		204 II	SHOOL	0.5	1.5	
BCLR 9		30 ¢ vermilion 50 M	Consulto S	25	15	
	a	rose (February 26, 1898) 51.125 M	(c) (c (7, 5)	25	10	
	b	pinperfs (5.5×5.5)		20	20	
			(c 1/1/ 5) (c 1/1/ 5)			
BCLR 10		50 ¢ brown (July 08) 150.65 M	30 CATS 30 80 ATS 80	20	5	
	a	pinperfs (5.5 x 5.5)	5100	250	250	
	b	bisected on document				375
DCI D 11		Φ1 11 (F.1 0ζ.1000) 0ζ.175.M		40	0.5	
BCLR 11		\$1 blue (February 26, 1898) 26.175 M		40	25	
	a	pinperfs (5.5×5.5)	5U LAIS 5U SI DOLLO SI	40	25	

JAMPS (YLR)

JAMPS (YLR)

JAMPS (YLR)

April 15, 1902 authorization was given for production and use of stamps to signify payment of court fees. Information found from research done by Ian McTaggart-Cowan.

Garden City Philatelic Auctions offered images from Ian Mowat Yukon collection sale

1902 YUKON TERRITORIAL COUNTY

Printer: Amangement of the production and use of stamps to signify payment of court fees. Information found from research done by Ian McTaggart-Cowan.

Printer: American Bank Note Company, Ottawa

ENGRAVED. PERF. 12 x 12













YLR 1		10¢	Justice, blue; 20 M	30	15	130
	a		red overprint SPECIMEN	75	_	_
	b		imperf. NG		_	
dpl		10¢	ldp; blue; India sunk on card; die # F - 147 (4)	800	_	_
dp2		10¢	ldp; blue; notation April 25/02; India sunk on card; die # F - 147 (1)	800	_	
dp3		10¢	ctsdp; black; India; die # F - 147	500	_	
dp4		10¢	ctsdp; blue; India	500		
dp5			original 1902 Order letter in 3 parts with model (1)	800	_	









NSSC YLR 1dp5b

YLR 2		25¢	Justice, blue; 20 M	20	5	130
	a		red overprint SPECIMEN	75	_	
dpl		25¢	ldp; blue; <i>notation</i> April 25/02; India sunk on card; die # F - 148 (1)	800	_	
dp2		25¢	ctsdp; black; India; die # F - 148	500	_	
dn3		25¢	ctsdn· blue· India	500	_	_





NSSC YLR 2dp2

In his two booklet monogram researcher Julian J. Goldberg has provided to collectors of Canadian philately a wonderful insight into how some stamps of Canada were printed. He explains how. And then with images shows us the appearance of these stamps when they are printed by an American invented printing machine called *The Stickney Rotary Press*. The company in Canada that used this printing press is the British American Bank Note Company oft called BABNCo.

Julian's own book *Canadian Postage Stamps Printed by the Stickney Rotary Press* was released in 2012. His research findings are offer with great generosity to *Walsh British North America Specialized Stamp Catalogue* where his research complements the information found therein. His original research and findings are used with adjustments to fit NSSC format style. He originally utilized the Scott numbering system. These numbers have been changed to NSSC numbering system. His findings are not changed. We thank Julian for his generosity.

Canadian Postage Stamps Printed By The Stickney Rotary Press

from research by Julian J. Goldberg

The Stickney rotary press was invented by Benjamin R. Stickney who was an employee of the U.S. Government Bureau of Engraving and Printing (BEP) in Washington, DC. There were two, small and large, sized rotary

presses. The Stickney rotary press has U. S. patent numbers 1,115,127 and 1,378,386. The small press was used to print U.S. coil stamps while the large press was used to print U.S. sheet and booklet stamps. The Stickney rotary press printed U.S. postage stamps from 1914 to 1962. Its U.S. first print of coil stamps was released on June 30, 1914 followed by its first printing of regular sheet stamps released on May 26, 1920. The first printing of its booklet stamps were released on August 27, 1926.

sheet-fed sheets of pre-gummed paper.



1st U.S. Stickney Rotary Press Coil Stamp June 30, 1914



1st U.S. Stickney Rotary Press Sheet stamp May 26, 1920



1 st U.S. Stickney Rotary Press Booklet stamp August 27, 1926

In 1930, the British American Bank Note Company (BABNCo) of Ottawa, Canada obtained a five year contract from the Canadian Government Finance Department to print Canadian postage stamps from 1930 to 1935 after the Canadian Bank Note Company (CBNCo) of Ottawa, Canada and the American Bank

Note Company (ABNCo) of New York, NY had been printing Canadian postage stamps for over thirty years. The CBNCo, which was a subsidiary of the ABNCo, was a competitor of the BABNCo. The BEP supplied the BABNCo with printing and perforating equipment in the late 1920s and early 1930s.

Since the ABNCo was also a competitor of the BEP, a business connection developed between the BEP and the BABNCo. The BEP supplied the BABNCo with: a large Stickney rotary press to print sheet, booklet and coil stamps, a Stickney bar with a wheel perforator to perforate sheet and booklet stamps, a Stickney bar perforator to perforate coil stamps and a Stickney coiler to cut and wind coil stamps. Images are presented.

The Stickney rotary press design allowed it to print large quantities of postage stamps in continuous paper web rolls faster than other printing presses. This rotary press was fed continuous web-fed rolls of ungummed paper that were later gummed by the same press. This rotary press initially printed stamps by wet printing. The web roll, of white wove stamp paper, had to be wetted first by the paper wetting roller unit on the press. Then this wet paper web roll was pressed by the impression roller against two rotating engraved curved steel printing plates mounted on the press printing unit. This enabled the moving wet paper web roll to absorb the inked printing plate impressions. Then the paper was dried by heaters to allow the printed paper roll to be gummed by the press gumming roller unit. After being gummed it was again dried and then rolled up before being perforated. An overprint or surcharge unit was located between the press printing unit and gumming unit for that eventuality. The Stickney rotary press as used by the BABNCo printed mostly large quantities of their lower denominated postage stamps. As the requirement for their higher

denominated postage stamps was in small quantities, they used a flat plate printing press that printed stamps by dry printing. This flat plate press used one at a time single precut



Large Stickney Rotary Press



Stickney Bar and Wheel Perforator



Stickney Bar Perforator